Justification Document for the Selection of a CoRAP Substance

Substance Name (public name): 4,4'-bis(diethylamino)benzophenone

EC Number: 202-025-4

CAS Number: 90-93-7

Authority: The Netherlands

Date: 17/03/2021

Cover Note

This document has been prepared by the evaluating Member State given in the CoRAP update

Table of Contents

1 IDENTITY OF THE SUBSTANCE	3
1.1 Other identifiers of the substance	3
1.2 Similar substances/grouping possibilities	3
2 OVERVIEW OF OTHER PROCESSES / EU LEGISLATION	5
3 HAZARD INFORMATION (INCLUDING CLASSIFICATION	1) 6
3.1 Classification 3.1.1 Harmonised Classification in Annex VI of the CLP 3.1.2 Self classification 3.1.3 Proposal for Harmonised Classification in Annex VI of the CLP	6 6 6
4 INFORMATION ON (AGGREGATED) TONNAGE AND USE	S 7
4.1 Tonnage and registration status	7
4.2 Overview of uses	7
5. JUSTIFICATION FOR THE SELECTION OF THE CANDIDACORAP SUBSTANCE	ATE 8
5.1. Legal basis for the proposal	8
5.2. Selection criteria met (why the substance qualifies for being in CoRAP)	8
5.3. Initial grounds for concern to be clarified under Substance Evaluation	8
5.4. Preliminary indication of information that may need to be requested to clarify the concern	9
5.5. Potential follow-up and link to risk management	10

1 IDENTITY OF THE SUBSTANCE

1.1 Other identifiers of the substance

Table: Other Substance identifiers

EC name (public):	202-025-4
IUPAC name (public):	4-[4-(diethylamino)benzoyl]-N,N-diethylaniline
Index number in Annex VI of the CLP Regulation:	-
Molecular formula:	C21H28N2O
Molecular weight or molecular weight range:	-
Synonyms:	Michler's ethylketone 4,4'-Bis(diethylamino)benzophenone Bis(4-(diethylamino)phenyl)methanone Methanone, bis[4-(diethylamino)phenyl]- Bis[4-(diethylamino)phenyl]methanone 4,4'-Bis(diethylamino) benzophenone 4,4'-(Tetraethyldiamino)benzophenone p,p'-Bis(diethylamino)benzophenone p,p'-(Tetraethyldiamino)benzophenone DEAB Trade name: Omnirad EMK

Type of substance ⊠ Mono-constituent □ Multi-constituent □	UVCE
---	------

Structural formula:

1.2 Similar substances/grouping possibilities

The substance is a close structural analogue of 4,4'-bis (dimethylamino) benzophenone (EC 202-027-5; CAS 90-94-8; also known as Michler's Ketone), which is classified as Carc. cat. 1B and Muta.

2. The substance is also an analogue of 4,4'-methylenebis (N,N-dimethyl benzenamine, also known as Michler's Base) (EC 202-959-2; CAS 101-61-1), which is also classified as Carc. Cat. 1B.

Both substances are identified as a Substance of Very High Concern (SVHC).

Name	EC	structural formula
4,4'- bis(dimethylamino) benzophenone	202-027-5	H ₃ C CH ₃ CH ₃
4,4'- methylenebis(N,N- dimethylbenzenamine)	202-959-2	H ₃ C CH ₃ CH ₃

2 OVERVIEW OF OTHER PROCESSES / EU LEGISLATION

Table: Completed or ongoing processes

RMOA	☐ Risk Management Option Analysis (RMOA)			
		☐ Compliance check		
	Evaluation	☐ Testing proposal		
REACH		\square CoRAP and Substance Evaluation		
Processes	Authorisation	☐ Candidate List		
	Authorisation	☐ Annex XIV		
	Restriction	\square Annex XVII 1		
CLH	☐ Annex VI (CLP) (see section 3.1)			
	☐ Plant Protection Products Regulation			
Processes under other	Regulation (EC) No 1107/2009			
EU legislation	☐ Biocidal Product Regulation			
	Regulation (EU) 528/2012 and amendments			
Previous	☐ Dangerous substances Directive 67/548/EEC (NONS)			
legislation	egislation □ Existing Substances Regulation 793/93/EEC (RAR/RRS)			
(UNEP) Stockholm	☐ Assessment			
convention (POPs Protocol)	OPs			
Other processes/ EU legislation	☐ Other (provide further details below)			
Further details	No completed	or ongoing processes.		

¹ Please specify the relevant entry.

3 HAZARD INFORMATION (INCLUDING CLASSIFICATION)

3.1 Classification

3.1.1 Harmonised Classification in Annex VI of the CLP

Not classified.

3.1.2 Self classification

- In the registration: no self-classification.
- The following hazard classes are in addition notified among the aggregated self classifications in the C&L Inventory:

Skin Irrit. 2 (H315)
Eye Irrit. 2 (H319)
STOT SE 3 (H335)
Carc. 2 (H351)
Aquatic Acute 1 (H440)
Aquatic Chronic 1 (H410)
Aquatic Chronic 2 (H411)
Aquatic Chronic 4 (H413)

3.1.3 Proposal for Harmonised Classification in Annex VI of the CLP

No proposals.

4 INFORMATION ON (AGGREGATED) TONNAGE AND USES²

4.1 Tonnage and registration status

Table: Tonnage and registration status

From ECHA dissemination site *			
☑ Full registration(s) (Art. 10)		☐ Intermediate registration(s) (Art. 17 and/or 18)	
Tonnage band (as per dissemina	ition si	ite)	
□ 1 – 10 tpa	⊠ 10 – 100 tpa □ 100 – 1000 tp		
□ 1000 – 10,000 tpa	□ 10,000 - 100,000 tpa		\square 100,000 - 1,000,000 tpa
\square 1,000,000 - 10,000,000 tpa	□ 10,000,000 - 100,000,000 tpa		□ > 100,000,000 tpa
\square <1 >+ tpa (e.g. 10+; 100+; 10,000+ tpa) \square Confidential			
Joint submission of four registrations. Total tonnage level is 10-100 tpa.			

https://echa.europa.eu/documents/10162/22308542/manual dissemination en.pdf/7e0b8 7c2-2681-4380-8389-cd655569d9f0

4.2 Overview of uses

Table: Uses

The substance is formulated for preparations containing photo initiator. There is industrial and professional use of the photo initiator. Product categories used include adhesives and sealants, coatings and paints, ink and toners and paper and board treatment products. These are the uses indicated in the registration dossier. In analogue to the SVHC dossiers for Michler's ketone and base, it is expected that Michler's ethyl ketone (and possibly Michler's ethyl base) will also be used as a starting material in the synthesis of triarylmethane dyes, many of which are used in consumer products (textile dyes, inks). Michler's ethyl ketone (and base) can therefore be present in these dyes as an impurity.

Part 1:

	\boxtimes	\boxtimes	\boxtimes		☐ Article	☐ Closed
Manufacture	Formulation	Industrial	Professional	Consumer	service life	system
		use	use	use		

^{*}the total tonnage band has been calculated by excluding the intermediate uses, for details see the Manual for Dissemination and Confidentiality under REACH Regulation (section 2.6.11):

² The dissemination site was accessed in Sept 2020.

5. JUSTIFICATION FOR THE SELECTION OF THE CANDIDATE CORAP SUBSTANCE

5.1. Legal basis for the proposal
☑ Article 44(2)
☐ Article 45(5)
5.2. Selection criteria met (why the substance qualifies for being in CoRAP)
☑ Fulfils criteria as CMR/ Suspected CMR
\square Fulfils criteria as Sensitiser/ Suspected sensitiser
$\ \square$ Fulfils criteria as potential endocrine disrupter
☐ Fulfils criteria as PBT/vPvB / Suspected PBT/vPvB
\square Fulfils criteria high (aggregated) tonnage ($tpa > 1000$)
□ Fulfils exposure criteria
☐ Fulfils MS's (national) priorities
5.3. Initial grounds for concern to be clarified under Substance Evaluation

Hazard based concerns				
CMR □ C □ M □ R	Suspected CMR¹ ⊠ C ⊠ M □ R	☐ Potential endocrine disruptor		
☐ Sensitiser	☐ Suspected Sensitiser³			
☐ PBT/vPvB	☐ Suspected PBT/vPvB¹	☐ Other (please specify below)		
Exposure/risk based concerns				
☐ Wide dispersive use	☐ Consumer use	☐ Exposure of sensitive populations		
☐ Exposure of environment	☐ Exposure of workers	☐ Cumulative exposure		
☐ High RCR	☐ High (aggregated) tonnage	☐ Other (please specify below)		

Suspected PBT: Potentially Persistent, Bioaccumulative and Toxic

EC no 202-025-4 MSCA – the Netherlands Page 8 of 10

³ <u>CMR/Sensitiser</u>: known carcinogenic and/or mutagenic and/or reprotoxic properties/known sensitising properties (according to CLP harmonized or registrant self-classification or CLP Inventory) <u>Suspected CMR/Suspected sensitiser</u>: suspected carcinogenic and/or mutagenic and/or reprotoxic properties/suspected sensitising properties (not classified according to CLP harmonized or registrant self-classification)

Two structural analogues of Michler's ethyl ketone, i.e. Michler's ketone (EC 202-027-5) and Michler's base (EC 202-959-2) have a harmonized classification for Carc Cat 1B and consequently have been identified as a SVHC substances under REACH. In addition, Michler's ketone has a harmonized classification of Muta 2.

All three substances are N-substituted aromatic amines and share the same structural alert for mutagenicity/carcinogenicity (OECD QSAR toolbox, Derek Nexus) which indicates that all three substances could act via the same mechanism.

Based on this information, there is a concern on potential carcinogenicity and mutagenicity of the substance, Michler's ethyl ketone.

For at least one triarylmethane dye registered under REACH, CI Basic Blue 7, EC 219232-0, it has been confirmed that the substance (diethylamino analogue of Michler's ketone) is present as an impurity at concentrations > 1%. CI Basic Blue 7 is used as a dye in ballpoint ink, which implies direct consumer exposure. This contradicts with the intermediate dossier status for CI Basic Blue 7. Furthermore Basic Blue 7 is widely used in for various applications due to its chemical stability and accurate composition. It is used in different industrial applications, which includes carbon paper coloring, ball pen ink and in printing ink.

It is also used to dye anionic substrates, e.g. wool, silk, nylon, and acrylics, where bright dying is required. Use as a textile dye potentially leads to direct consumer exposure.

The expected (consumer) exposure to Michler's Ethyl Ketone (and base) is thus not due to intended use of the (registered) substance, but due to its presence as an impurity in dyes synthesized using this substance as a starting material.

Based on the information for Michler's Ethyl Ketone on the IUCLID dissemination site, the reported tonnage level of 10-100 tpa is an aggregated level, and each individual registration dossier is at a level of 1-10 tpa. This means that with respect to mutagenicity, for which only one (negative) Ames test is available, each dossier is in compliance and that a substance evaluation would be needed to to request additional information to assess the mutagenic and carcinogenicity potential of the registered substance.

5.4. Preliminary indication of information that may need to be requested to clarify the concern

☐ Information on toxicological properties	☐ Information on physico-chemical properties
\square Information on fate and behaviour	\square Information on exposure
☐ Information on ecotoxicological properties	☐ Information on uses
☐ Information ED potential	☐ Other (provide further details below)

Michler's ethyl ketone gives negative results in the Ames test, which is the only information on mutagenicity available in de registration dossiers. However, Michler's Ketone and Michler's Base both showed positive results in the Mouse Lymphoma Assay (MLA) using the Thymidine Kinase (TK) gene. Both substances give mixed results (both positive as well as negative) in the Ames test. It is well known that the mutagenicity of aromatic amines (like Michler's methyl and ethyl ketone) can give rise to false negative results in the Ames test. Therefore, an MLA in vitro assay in addition to the Ames test is

considered necessary as a first step to elucidate the mutagenic and carcinogenic potential of the registered substance (Michler's ethyl ketone).

5.5. Potential follow-up and link to risk management

☐ Harmonised C&L	⊠ Restriction		☐ Other (provide further details)
carcinogenic, it may	be identified in the follo lead to harmonized cla the substance may be ential follow-up.	ssification for these end	dpoints. Depending