Summary of product characteristics for a biocidal product

Product name: Dismate PE

Product type(s): PT19 - Repellents and attractants (Pest control)

Authorisation number:

R4BP 3 asset reference number: IT-0026155-0000

Table Of Contents

| Administrative information | | | | |
|--|---|--|--|--|
| 1.1. Trade names of the product | 1 | | | |
| 1.2. Authorisation holder | 1 | | | |
| 1.3. Manufacturer(s) of the biocidal products | 1 | | | |
| 1.4. Manufacturer(s) of the active substance(s) | 1 | | | |
| 2. Product composition and formulation | | | | |
| 2.1. Qualitative and quantitative information on the composition of the biocidal product | 2 | | | |
| 2.2. Type of formulation | 2 | | | |
| 3. Hazard and precautionary statements | 2 | | | |
| 4. Authorised use(s) | 2 | | | |
| 5. General directions for use | 5 | | | |
| 5.1. Instructions for use | | | | |
| 5.2. Risk mitigation measures | 5 | | | |
| | 5 | | | |
| 5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment | 6 | | | |
| 5.4. Instructions for safe disposal of the product and its packaging | 6 | | | |
| 5.5. Conditions of storage and shelf-life of the product under normal conditions of storage | 6 | | | |
| 6. Other information | 6 | | | |
| | | | | |

1.1. Trade names of the product

Dismate PE

1.2. Authorisation holder

| Name and address of the | Name | Russell IPM Europe Limited | |
|----------------------------------|-----------------|---|--|
| authorisation holder | Address | Bond House 9/10 Bridge Street Lower Dublin 8 Dublin Ireland | |
| Authorisation number | | | |
| | | | |
| R4BP 3 asset reference number | IT-0026155-0000 | | |
| Date of the authorisation | 19/03/2021 | | |
| Expiry date of the authorisation | 19/03/2031 | | |

1.3. Manufacturer(s) of the biocidal products

Г

Name of the manufacturer

Address of the manufacturer

Location of manufacturing sites

| Russell IPM | Λ |
|-------------------------|---|
| Unit 45 Firs Kingdom | st Avenue, Deeside Industrial Park, Deeside CH5 2NU Flintshire United |
| Unit 45 Firs Kingdom | t Avenue, Deeside Industrial Park, Deeside CH5 2NU Flintshire United |

1.4. Manufacturer(s) of the active substance(s)

| Active substance | 1433 - (9Z,12E)-tetradeca-9,12-dien-1-yl acetate |
|---------------------------------|--|
| Name of the manufacturer | AEROXON INSECT CONTROL GmbH |
| Address of the manufacturer | Bahnhofstr. 35 D-71332 Waiblingen Germany |
| Location of manufacturing sites | Bahnhofstr. 35 D-71332 Waiblingen Germany |

2. Product composition and formulation

2.1. Qualitative and quantitative information on the composition of the biocidal product

| Common name | IUPAC name | Function | CAS number | EC number | Content (%) |
|---|------------|------------------|------------|-----------|-------------|
| (9Z,12E)-tetradeca-9,12- dien-1-yl acetate | | Active Substance | 30507-70-1 | | 0,837 |

2.2. Type of formulation

| VP - Vapour releasing product | |
|-------------------------------|--|
| VP - Vapour releasing product | |

3. Hazard and precautionary statements

| Hazard statements | |
|--------------------------|--|
| Precautionary statements | |

4. Authorised use(s)

4.1 Use description

| Use 1 - Professional Users | |
|--|--|
| Product type | PT19 - Repellents and attractants (Pest co |
| Where relevant, an exact description of the authorised use | Attractant |
| Target organism(s) (including development stage) | Scientific name: Plodia interpunctella Common name: Indian meal moth Development stage: Adults |
| | Scientific name: Ephestia khueniella Common name: Mediterranean flour moth Development stage: Adults |
| | |
| Field(s) of use | Indoor |
| | Indoor use |
| | Method: Vapourising dispenser |

Application method(s)

Attractant for professional use against food moths.

Detailed description:

Acts by disrupting the mating between male and female moths. Populations of the pest insects are reduced as adult insects die and are not replaced by the next generation.

(Pest control)

Application rate(s) and frequencies

Application Rate: The dispensers should be placed one unit in every 400-500 m3. Dilution (%): -Number and timing of application:

The product is applied in a ready to use pouch.

The dispensers should be placed one unit in every 400-500 m3.

Category(ies) of users

Pack sizes and packaging material

Professional

Packet, Foil, 329mm length x 142mm width

5 or 100 foil packets 329mm length x 142mm width



4.1.1 Use-specific instructions for use

Plot out a layout for the approximate placement of the dispensers before deploying them. The dispensers should be placed one unit in every 400-500 m3. Where obstacles or obstructions are present the dispensers can be placed to accommodate the layout and air dynamics the factory.

Keep the dispensers sealed in outer foil bag packaging until use.

The Dispensers should be positioned 2-3 metres above the floor and fastened securely.

Monitoring traps are recommended before, during and after treatment to assess adult moth populations as part of a pest management program.

Dispensers should be replaced every 3 months.

This product has a slow mode of action and is intended for long-term use. The product doesn't have an immediate effect on the population of the food moths (it may take more than 12 months). Control of food moths is achieved over a period of time with continuous use of the product.

4.1.2 Use-specific risk mitigation measures

For professional use only.

For use only as an attractant.

To avoid risks toman and the environment, comply with the instructions for use.

The COSHH (Control of Substances Hazardous to Health) Regulations 2002 (as amended) applyto the use of this product at work.

DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

Wash hands and exposed skin thoroughly after handling.

4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

IF IN EYES: If symptoms occur rinse with water. Remove contact lenses, if present and easy to do. Call a POISON CENTRE or a doctor.

IF INHALED: If symptoms occur call a POISON CENTRE or a doctor.

IF ON SKIN: : Wash skin with water. If symptoms occur call a POISON CENTRE or a doctor.

IF SWALLOWED: If symptoms occur call a POISON CENTRE or a doctor.

4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

Dispose of contents/container to National Regulations

4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

Store at temperatures not exceeding 4°C.

Shelf life of up to 2 years.

Dispensers should be replaced every 3 months.

5. General directions for use

5.1. Instructions for use

See authorized uses

5.2. Risk mitigation measures

See authorized uses

See authorized uses

5.4. Instructions for safe disposal of the product and its packaging

See authorized uses

5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

See authorized uses

6. Other information

Εγκαταστάσεις συσκευασίας: Russell IPM Ltd, 45 First Avenue, Deeside Industrial Park, Flintshire CH5 2NU, United Kingdom