

# Summary of product characteristics for a biocidal product

**Product name:** Vivexyl Plus Ebony 513

**Product type(s):** PT08 - Wood preservatives (Preservatives)

PT08 - Wood preservatives (Preservatives)

PT08 - Wood preservatives (Preservatives)

PT08 - Wood preservatives (Preservatives)

PT08 - Wood preservatives (Preservatives)

PT08 - Wood preservatives (Preservatives)

PT08 - Wood preservatives (Preservatives)

PT08 - Wood preservatives (Preservatives)

PT08 - Wood preservatives (Preservatives)

PT08 - Wood preservatives (Preservatives)

PT08 - Wood preservatives (Preservatives)

PT08 - Wood preservatives (Preservatives)

PT08 - Wood preservatives (Preservatives)

PT08 - Wood preservatives (Preservatives)

PT08 - Wood preservatives (Preservatives)

PT08 - Wood preservatives (Preservatives)

PT08 - Wood preservatives (Preservatives)

PT08 - Wood preservatives (Preservatives)

PT08 - Wood preservatives (Preservatives)

PT08 - Wood preservatives (Preservatives)

PT08 - Wood preservatives (Preservatives)

**Authorisation number:** 782-7

**R4BP 3 asset reference number:** DK-0012313-0032

## Table Of Contents

|   |   |
|---|---|
| Administrative information  | 1 |
| 1.1. Trade names of the product   | 1 |
| 1.2. Authorisation holder   | 1 |
| 1.3. Manufacturer(s) of the biocidal products   | 1 |
| 1.4. Manufacturer(s) of the active substance(s)   | 2 |
| 2. Product composition and formulation  | 2 |
| 2.1. Qualitative and quantitative information on the composition of the biocidal product  | 2 |
| 2.2. Type of formulation  | 2 |
| 3. Hazard and precautionary statements  | 2 |
| 4. Authorised use(s)  | 3 |
| 4.1.1 Use-specific instructions for use   | 4 |
| 4.1.2 Use-specific risk mitigation measures   | 4 |
| 4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment | 4 |
| 4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging  | 4 |
| 4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage                                     | 4 |
| 4.2.1 Use-specific instructions for use   | 5 |
| 4.2.2 Use-specific risk mitigation measures   | 5 |
| 4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment | 6 |
| 4.2.4 Where specific to the use, the instructions for safe disposal of the product and its packaging  | 6 |
| 4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage                                     | 6 |
| 4.3.1 Use-specific instructions for use   | 7 |
| 4.3.2 Use-specific risk mitigation measures   | 7 |
| 4.3.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment | 7 |
| 4.3.4 Where specific to the use, the instructions for safe disposal of the product and its packaging  | 7 |
| 4.3.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage                                     | 7 |
| 4.4.1 Use-specific instructions for use   | 8 |
| 4.4.2 Use-specific risk mitigation measures   | 8 |

|   |    |
|---|----|
| 4.4.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment | 8  |
| 4.4.4 Where specific to the use, the instructions for safe disposal of the product and its packaging  | 8  |
| 4.4.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage                                     | 9  |
| 4.5.1 Use-specific instructions for use   | 9  |
| 4.5.2 Use-specific risk mitigation measures   | 10 |
| 4.5.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment | 10 |
| 4.5.4 Where specific to the use, the instructions for safe disposal of the product and its packaging  | 10 |
| 4.5.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage                                     | 10 |
| 4.6.1 Use-specific instructions for use   | 11 |
| 4.6.2 Use-specific risk mitigation measures   | 11 |
| 4.6.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment | 11 |
| 4.6.4 Where specific to the use, the instructions for safe disposal of the product and its packaging  | 11 |
| 4.6.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage                                     | 11 |
| 4.7.1 Use-specific instructions for use   | 12 |
| 4.7.2 Use-specific risk mitigation measures   | 12 |
| 4.7.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment | 12 |
| 4.7.4 Where specific to the use, the instructions for safe disposal of the product and its packaging  | 13 |
| 4.7.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage                                     | 13 |
| 4.8.1 Use-specific instructions for use   | 14 |
| 4.8.2 Use-specific risk mitigation measures   | 14 |
| 4.8.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment | 14 |
| 4.8.4 Where specific to the use, the instructions for safe disposal of the product and its packaging  | 14 |
| 4.8.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage                                     | 14 |
| 4.9.1 Use-specific instructions for use   | 15 |
| 4.9.2 Use-specific risk mitigation measures   | 15 |
| 4.9.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment | 15 |
| 4.9.4 Where specific to the use, the instructions for safe disposal of the product and its packaging  | 15 |
| 4.9.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage                                     | 15 |
| 4.10.1 Use-specific instructions for use  | 16 |

|  |    |
|--|----|
| 4.10.2 Use-specific risk mitigation measures   | 16 |
| 4.10.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment | 16 |
| 4.10.4 Where specific to the use, the instructions for safe disposal of the product and its packaging  | 17 |
| 4.10.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage                                     | 17 |
| 4.11.1 Use-specific instructions for use   | 18 |
| 4.11.2 Use-specific risk mitigation measures   | 18 |
| 4.11.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment | 18 |
| 4.11.4 Where specific to the use, the instructions for safe disposal of the product and its packaging  | 18 |
| 4.11.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage                                     | 18 |
| 4.12.1 Use-specific instructions for use   | 19 |
| 4.12.2 Use-specific risk mitigation measures   | 19 |
| 4.12.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment | 19 |
| 4.12.4 Where specific to the use, the instructions for safe disposal of the product and its packaging  | 19 |
| 4.12.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage                                     | 19 |
| 4.13.1 Use-specific instructions for use   | 20 |
| 4.13.2 Use-specific risk mitigation measures   | 20 |
| 4.13.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment | 20 |
| 4.13.4 Where specific to the use, the instructions for safe disposal of the product and its packaging  | 21 |
| 4.13.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage                                     | 21 |
| 4.14.1 Use-specific instructions for use   | 22 |
| 4.14.2 Use-specific risk mitigation measures   | 22 |
| 4.14.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment | 22 |
| 4.14.4 Where specific to the use, the instructions for safe disposal of the product and its packaging  | 22 |
| 4.14.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage                                     | 22 |
| 4.15.1 Use-specific instructions for use   | 23 |
| 4.15.2 Use-specific risk mitigation measures   | 23 |
| 4.15.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment | 23 |
| 4.15.4 Where specific to the use, the instructions for safe disposal of the product and its packaging  | 23 |
| 4.15.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage                                     | 23 |

|  |    |
|--|----|
| 4.16.1 Use-specific instructions for use   | 24 |
| 4.16.2 Use-specific risk mitigation measures   | 24 |
| 4.16.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment | 24 |
| 4.16.4 Where specific to the use, the instructions for safe disposal of the product and its packaging  | 25 |
| 4.16.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage                                     | 25 |
| 4.17.1 Use-specific instructions for use   | 26 |
| 4.17.2 Use-specific risk mitigation measures   | 26 |
| 4.17.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment | 26 |
| 4.17.4 Where specific to the use, the instructions for safe disposal of the product and its packaging  | 26 |
| 4.17.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage                                     | 26 |
| 4.18.1 Use-specific instructions for use   | 27 |
| 4.18.2 Use-specific risk mitigation measures   | 27 |
| 4.18.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment | 27 |
| 4.18.4 Where specific to the use, the instructions for safe disposal of the product and its packaging  | 27 |
| 4.18.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage                                     | 27 |
| 4.19.1 Use-specific instructions for use   | 28 |
| 4.19.2 Use-specific risk mitigation measures   | 28 |
| 4.19.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment | 28 |
| 4.19.4 Where specific to the use, the instructions for safe disposal of the product and its packaging  | 29 |
| 4.19.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage                                     | 29 |
| 4.20.1 Use-specific instructions for use   | 30 |
| 4.20.2 Use-specific risk mitigation measures   | 30 |
| 4.20.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment | 30 |
| 4.20.4 Where specific to the use, the instructions for safe disposal of the product and its packaging  | 30 |
| 4.20.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage                                     | 30 |
| 4.21.1 Use-specific instructions for use   | 31 |
| 4.21.2 Use-specific risk mitigation measures   | 31 |
| 4.21.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment | 31 |
| 4.21.4 Where specific to the use, the instructions for safe disposal of the product and its packaging  | 31 |

|   |    |
|---|----|
| 4.21.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage    | 31 |
| 5. General directions for use   | 32 |
| 5.1. Instructions for use   | 32 |
| 5.2. Risk mitigation measures   | 32 |
| 5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment | 33 |
| 5.4. Instructions for safe disposal of the product and its packaging  | 36 |
| 5.5. Conditions of storage and shelf-life of the product under normal conditions of storage                                     | 38 |
| 6. Other information  | 40 |

## Administrative information

### 1.1. Trade names of the product

|                        |
|------------------------|
| Vivexyl Plus Ebony 513 |
| Vivexyl Plus Ebony 513 |
| Vivexyl Plus Ebony 513 |

### 1.2. Authorisation holder

**Name and address of the authorisation holder**

|                      |   |
|----------------------|---|
| Name                 | Akzo Nobel Decorative Coatings B.V.   |
| Address              | Christian Neefestraat 2 - Attn. Director PSRAQ 1077 WW<br>Amsterdam Netherlands |
| Authorisation number | 782-7 1-1   |

**R4BP 3 asset reference number**

|                 |
|-----------------|
| DK-0012313-0032 |
|-----------------|

**Date of the authorisation**

|            |
|------------|
| 22/06/2015 |
|------------|

**Expiry date of the authorisation**

|            |
|------------|
| 30/06/2020 |
|------------|

### 1.3. Manufacturer(s) of the biocidal products

**Name of the manufacturer**

|                              |
|------------------------------|
| Akzo Nobel Decorative Paints |
|------------------------------|

**Address of the manufacturer**

|   |
|---|
| Z.I. "Les Bas Prés", C.S. 70113 60160 Montataire France |
|---|

**Location of manufacturing sites**

|   |
|---|
| Z.I. "Les Bas Prés", C.S. 70113 60160 Montataire France |
|---|



#### 1.4. Manufacturer(s) of the active substance(s)

|  |  |
|--|--|
| <b>Active substance</b>                | 39 - 3-iodo-2-propynylbutylcarbamate (IPBC)                  |
| <b>Name of the manufacturer</b>        | TROY Corporation   |
| <b>Address of the manufacturer</b>     | 8 Vreeland Road, Florham Park 07932 New Jersey United States |
| <b>Location of manufacturing sites</b> | One Avenue L NJ 07105 Newark United States                   |
| <b>Active substance</b>                | 39 - 3-iodo-2-propynylbutylcarbamate (IPBC)                  |
| <b>Name of the manufacturer</b>        | TROY Chemical Corporation                                    |
| <b>Address of the manufacturer</b>     | One Avenue L NJ 07105 Newark United States                   |
| <b>Location of manufacturing sites</b> | 12e Uiverlaan 3145 Maassluis Netherlands                     |

## 2. Product composition and formulation

### 2.1. Qualitative and quantitative information on the composition of the biocidal product

| Common name                            | IUPAC name | Function         | CAS number | EC number | Content (%) |
|--|------------|------------------|------------|-----------|-------------|
| 3-iodo-2-propynylbutylcarbamate (IPBC) |            | Active Substance | 55406-53-6 | 259-627-5 | 0.7         |

### 2.2. Type of formulation

AL - Any other liquid

## 3. Hazard and precautionary statements

### Hazard statements

Harmful to aquatic life with long lasting effects.  
Repeated exposure may cause skin dryness or cracking.

Contains 3-iodo-2-propynyl butylcarbamate and 2-butanone oxime. May produce an allergic reaction.

## Precautionary statements

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Do not get in eyes, on skin, or on clothing.

Avoid release to the environment.

Call a POISON CENTER if you feel unwell.

Dispose of contents to local rules.

Call a POISON CENTER if you feel unwell.

Dispose of container to local rules.

## 4. Authorised use(s)

### 4.1 Use description

#### Use 1 - Against wood discolouring fungi

##### Product type

PT08 - Wood preservatives (Preservatives)

##### Where relevant, an exact description of the authorised use

For all outside wood, which is not in direct contact to soil or surface water and not stressed statically, e.g. facades, windows (inner and outer parts), carports, shutters and balcony railings. Not for indoor use.

##### Target organism(s) (including development stage)

Aureobasidium pullulans spp.-Sapstain fungi-

##### Field(s) of use

Indoor  
Outdoor

##### Application method(s)

Open system: brush treatment -  
Not available

##### Application rate(s) and frequencies

200-250 ml/m<sup>2</sup> - No dilution -  
200-250 g/m<sup>2</sup>

**Category(ies) of users**

Professional  
General public (non-professional)

**Pack sizes and packaging material**

Can /Tin, Metal: , 0.75L - 20L (0.75L; 1L; 2.5L; 3L; 5L; 5.5L; 6L; 9L; 9.5L; 10L; 11L; 11.5L; 12L; 20L)

**4.1.1 Use-specific instructions for use**

For all outside wood, which is not in direct contact to soil or surface water and not stressed statically, e.g. facades, windows (inner and outer parts), carpports, shutters and balcony railings. Not for indoor use.

**4.1.2 Use-specific risk mitigation measures**

Keep out of reach of children. Wear suitable protective clothing and gloves

**4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment**

After skin contact: Take off immediately all contaminated clothing and wash skin immediately with plenty of water and soap. Obtain medical attention if symptoms occur.  
After contact with eyes: Rinse immediately with plenty of water and seek medical if symptoms occur.  
If swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs.  
After inhalation: Move affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and get medical attention immediately.

**4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging**

European waste code (EWC): 03 02 05: other wood preservatives containing dangerous substances / 20 01 27: Municipal wastes (household, waste and similar commercial, industrial and institutional wastes) including separately collected fractions: paint, inks, adhesives and resins containing dangerous substances.

**4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage**

Store product in tightly closed original containers at temperatures about 5 - 30°C. The product is stable for 3 years at room temperature.

## 4.2 Use description

### Use 2 - Against wood discolouring fungi

|   |   |
|---|---|
| <b>Product type</b>   | PT08 - Wood preservatives (Preservatives)                   |
| <b>Where relevant, an exact description of the authorised use</b> | Not available   |
| <b>Target organism(s) (including development stage)</b>           | wood discolouring fungi-Not available                       |
| <b>Field(s) of use</b>  | Indoor<br>Outdoor   |
| <b>Application method(s)</b>                                      | Open system: brush treatment -<br>Not available             |
| <b>Application rate(s) and frequencies</b>                        | 200-250 ml/m <sup>2</sup> - 0 -<br>200-250 g/m <sup>2</sup> |
| <b>Category(ies) of users</b>                                     | Professional<br>General public (non-professional)           |
| <b>Pack sizes and packaging material</b>                          | can, not available , 1<br><br>1-20L                         |

#### 4.2.1 Use-specific instructions for use

see other section

#### 4.2.2 Use-specific risk mitigation measures

see other section

**4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment**

see other section

**4.2.4 Where specific to the use, the instructions for safe disposal of the product and its packaging**

see other section

**4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage**

see other section

**4.3 Use description**

**Use 3 - Against wood discolouring fungi**

|   |   |
|---|---|
| <b>Product type</b>   | PT08 - Wood preservatives (Preservatives)                   |
| <b>Where relevant, an exact description of the authorised use</b> | Not available   |
| <b>Target organism(s) (including development stage)</b>           | wood discolouring fungi-Not available                       |
| <b>Field(s) of use</b>  | Indoor<br>Outdoor   |
| <b>Application method(s)</b>                                      | Open system: brush treatment -<br>Not available             |
| <b>Application rate(s) and frequencies</b>                        | 200-250 ml/m <sup>2</sup> - 0 -<br>200-250 g/m <sup>2</sup> |
| <b>Category(ies) of users</b>                                     | Professional<br>General public (non-professional)           |
| <b>Pack sizes and packaging material</b>                          | can, not available , 1                                      |

1-20L

#### 4.3.1 Use-specific instructions for use

see other section

#### 4.3.2 Use-specific risk mitigation measures

see other section

#### 4.3.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

see other section

#### 4.3.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

see other section

#### 4.3.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

see other section

#### 4.4 Use description

##### Use 4 - Against wood discolouring fungi

##### Product type

PT08 - Wood preservatives (Preservatives)

##### Where relevant, an exact description of the authorised use

Not available

##### Target organism(s) (including development stage)

wood discolouring fungi-Not available

|  |   |
|--|---|
| <b>Field(s) of use</b>                     | Indoor<br>Outdoor   |
| <b>Application method(s)</b>               | Open system: brush treatment -<br>Not available             |
| <b>Application rate(s) and frequencies</b> | 200-250 ml/m <sup>2</sup> - 0 -<br>200-250 g/m <sup>2</sup> |
| <b>Category(ies) of users</b>              | Professional<br>General public (non-professional)           |
| <b>Pack sizes and packaging material</b>   | can, not available , 1<br><br>1-20L                         |

#### 4.4.1 Use-specific instructions for use

see other section

#### 4.4.2 Use-specific risk mitigation measures

see other section

#### 4.4.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

see other section

#### 4.4.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

see other section

#### 4.4.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

see other section

#### 4.5 Use description

##### Use 5 - Against wood discolouring fungi

|   |   |
|---|---|
| <b>Product type</b>   | PT08 - Wood preservatives (Preservatives)                   |
| <b>Where relevant, an exact description of the authorised use</b> | Not available   |
| <b>Target organism(s) (including development stage)</b>           | wood discolouring fungi-Not available                       |
| <b>Field(s) of use</b>  | Indoor<br>Outdoor   |
| <b>Application method(s)</b>                                      | Open system: brush treatment -<br>Not available             |
| <b>Application rate(s) and frequencies</b>                        | 200-250 ml/m <sup>2</sup> - 0 -<br>200-250 g/m <sup>2</sup> |
| <b>Category(ies) of users</b>                                     | Professional<br>General public (non-professional)           |
| <b>Pack sizes and packaging material</b>                          | can, not available , 1<br>1-20L                             |

##### 4.5.1 Use-specific instructions for use



see other section

#### 4.5.2 Use-specific risk mitigation measures

see other section

#### 4.5.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

see other section

#### 4.5.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

see other section

#### 4.5.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

see other section

### 4.6 Use description

#### Use 6 - Against wood discolouring fungi

|   |   |
|---|---|
| <b>Product type</b>   | PT08 - Wood preservatives (Preservatives)                   |
| <b>Where relevant, an exact description of the authorised use</b> | Not available   |
| <b>Target organism(s) (including development stage)</b>           | wood discolouring fungi-Not available                       |
| <b>Field(s) of use</b>  | Indoor<br>Outdoor   |
| <b>Application method(s)</b>                                      | Open system: brush treatment -<br>Not available             |
| <b>Application rate(s) and frequencies</b>                        | 200-250 ml/m <sup>2</sup> - 0 -<br>200-250 g/m <sup>2</sup> |

|  |   |
|--|---|
|  |   |
| <b>Category(ies) of users</b>            | Professional<br>General public (non-professional) |
| <b>Pack sizes and packaging material</b> | can, not available , 1<br><br>1-20L               |

#### 4.6.1 Use-specific instructions for use

see other section

#### 4.6.2 Use-specific risk mitigation measures

see other section

#### 4.6.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

see other section

#### 4.6.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

see other section

#### 4.6.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

see other section

#### 4.7 Use description

## Use 7 - Against wood discolouring fungi

|   |   |
|---|---|
| <b>Product type</b>   | PT08 - Wood preservatives (Preservatives)                   |
| <b>Where relevant, an exact description of the authorised use</b> | Not available   |
| <b>Target organism(s) (including development stage)</b>           | wood discolouring fungi-Not available                       |
| <b>Field(s) of use</b>  | Indoor<br>Outdoor   |
| <b>Application method(s)</b>                                      | Open system: brush treatment -<br>Not available             |
| <b>Application rate(s) and frequencies</b>                        | 200-250 ml/m <sup>2</sup> - 0 -<br>200-250 g/m <sup>2</sup> |
| <b>Category(ies) of users</b>                                     | Professional<br>General public (non-professional)           |
| <b>Pack sizes and packaging material</b>                          | can, not available , 1<br><br>1-20L                         |

### 4.7.1 Use-specific instructions for use

see other section

### 4.7.2 Use-specific risk mitigation measures

see other section

### 4.7.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

see other section

#### 4.7.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

see other section

#### 4.7.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

see other section

### 4.8 Use description

#### Use 8 - Against wood discolouring fungi

|   |   |
|---|---|
| <b>Product type</b>   | PT08 - Wood preservatives (Preservatives)                   |
| <b>Where relevant, an exact description of the authorised use</b> | Not available   |
| <b>Target organism(s) (including development stage)</b>           | wood discolouring fungi-Not available                       |
| <b>Field(s) of use</b>  | Indoor<br>Outdoor   |
| <b>Application method(s)</b>                                      | Open system: brush treatment -<br>Not available             |
| <b>Application rate(s) and frequencies</b>                        | 200-250 ml/m <sup>2</sup> - 0 -<br>200-250 g/m <sup>2</sup> |
| <b>Category(ies) of users</b>                                     | Professional<br>General public (non-professional)           |
| <b>Pack sizes and packaging material</b>                          | can, not available , 1<br>1-20L                             |

#### 4.8.1 Use-specific instructions for use

see other section

#### 4.8.2 Use-specific risk mitigation measures

see other section

#### 4.8.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

see other section

#### 4.8.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

see other section

#### 4.8.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

see other section

#### 4.9 Use description

##### Use 9 - Against wood discolouring fungi

##### Product type

PT08 - Wood preservatives (Preservatives)

##### Where relevant, an exact description of the authorised use

Not available

##### Target organism(s) (including development stage)

wood discolouring fungi-Not available

##### Field(s) of use

Indoor  
Outdoor

##### Application method(s)

Open system: brush treatment -  
Not available

**Application rate(s) and frequencies**

200-250 ml/m<sup>2</sup> - 0 -  
200-250 g/m<sup>2</sup>

**Category(ies) of users**

Professional  
General public (non-professional)

**Pack sizes and packaging material**

can, not available , 1  
  
1-20L

**4.9.1 Use-specific instructions for use**

see other section

**4.9.2 Use-specific risk mitigation measures**

see other section

**4.9.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment**

see other section

**4.9.4 Where specific to the use, the instructions for safe disposal of the product and its packaging**

see other section

**4.9.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage**

see other section

**4.10 Use description**

## Use 10 - Against wood discolouring fungi

|   |   |
|---|---|
| <b>Product type</b>   | PT08 - Wood preservatives (Preservatives)                   |
| <b>Where relevant, an exact description of the authorised use</b> | Not available   |
| <b>Target organism(s) (including development stage)</b>           | wood discolouring fungi-Not available                       |
| <b>Field(s) of use</b>  | Indoor<br>Outdoor   |
| <b>Application method(s)</b>                                      | Open system: brush treatment -<br>Not available             |
| <b>Application rate(s) and frequencies</b>                        | 200-250 ml/m <sup>2</sup> - 0 -<br>200-250 g/m <sup>2</sup> |
| <b>Category(ies) of users</b>                                     | Professional<br>General public (non-professional)           |
| <b>Pack sizes and packaging material</b>                          | can, not available , 1<br><br>1-20L                         |

### 4.10.1 Use-specific instructions for use

see other section

### 4.10.2 Use-specific risk mitigation measures

see other section

### 4.10.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

see other section

#### 4.10.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

see other section

#### 4.10.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

see other section

### 4.11 Use description

#### Use 11 - Against wood discolouring fungi

|   |   |
|---|---|
| <b>Product type</b>   | PT08 - Wood preservatives (Preservatives)                   |
| <b>Where relevant, an exact description of the authorised use</b> | Not available   |
| <b>Target organism(s) (including development stage)</b>           | wood discolouring fungi-Not available                       |
| <b>Field(s) of use</b>  | Indoor<br>Outdoor   |
| <b>Application method(s)</b>                                      | Open system: brush treatment -<br>Not available             |
| <b>Application rate(s) and frequencies</b>                        | 200-250 ml/m <sup>2</sup> - 0 -<br>200-250 g/m <sup>2</sup> |
| <b>Category(ies) of users</b>                                     | Professional<br>General public (non-professional)           |
| <b>Pack sizes and packaging material</b>                          | can, not available , 1<br>1-20L                             |



#### 4.11.1 Use-specific instructions for use

see other section

#### 4.11.2 Use-specific risk mitigation measures

see other section

#### 4.11.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

see other section

#### 4.11.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

see other section

#### 4.11.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

see other section

#### 4.12 Use description

##### Use 12 - Against wood discolouring fungi

##### Product type

PT08 - Wood preservatives (Preservatives)

##### Where relevant, an exact description of the authorised use

Not available

##### Target organism(s) (including development stage)

wood discolouring fungi-Not available

##### Field(s) of use

Indoor  
Outdoor

##### Application method(s)

Open system: brush treatment -  
Not available

**Application rate(s) and frequencies**

200-250 ml/m<sup>2</sup> - 0 -  
200-250 g/m<sup>2</sup>

**Category(ies) of users**

Professional  
General public (non-professional)

**Pack sizes and packaging material**

can, not available , 1  
  
1-20L

**4.12.1 Use-specific instructions for use**

see other section

**4.12.2 Use-specific risk mitigation measures**

see other section

**4.12.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment**

see other section

**4.12.4 Where specific to the use, the instructions for safe disposal of the product and its packaging**

see other section

**4.12.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage**

see other section

**4.13 Use description**

### Use 13 - Against wood discolouring fungi

|   |   |
|---|---|
| <b>Product type</b>   | PT08 - Wood preservatives (Preservatives)                   |
| <b>Where relevant, an exact description of the authorised use</b> | Not available   |
| <b>Target organism(s) (including development stage)</b>           | wood discolouring fungi-Not available                       |
| <b>Field(s) of use</b>  | Indoor<br>Outdoor   |
| <b>Application method(s)</b>                                      | Open system: brush treatment -<br>Not available             |
| <b>Application rate(s) and frequencies</b>                        | 200-250 ml/m <sup>2</sup> - 0 -<br>200-250 g/m <sup>2</sup> |
| <b>Category(ies) of users</b>                                     | Professional<br>General public (non-professional)           |
| <b>Pack sizes and packaging material</b>                          | can, not available , 1<br><br>1-20L                         |

#### 4.13.1 Use-specific instructions for use

see other section

#### 4.13.2 Use-specific risk mitigation measures

see other section

#### 4.13.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

see other section

#### 4.13.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

see other section

#### 4.13.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

see other section

#### 4.14 Use description

##### Use 14 - Against wood discolouring fungi

|   |   |
|---|---|
| <b>Product type</b>   | PT08 - Wood preservatives (Preservatives)                   |
| <b>Where relevant, an exact description of the authorised use</b> | Not available   |
| <b>Target organism(s) (including development stage)</b>           | wood discolouring fungi-Not available                       |
| <b>Field(s) of use</b>  | Indoor<br>Outdoor   |
| <b>Application method(s)</b>                                      | Open system: brush treatment -<br>Not available             |
| <b>Application rate(s) and frequencies</b>                        | 200-250 ml/m <sup>2</sup> - 0 -<br>200-250 g/m <sup>2</sup> |
| <b>Category(ies) of users</b>                                     | Professional<br>General public (non-professional)           |
| <b>Pack sizes and packaging material</b>                          | can, not available , 1<br>1-20L                             |

#### 4.14.1 Use-specific instructions for use

see other section

#### 4.14.2 Use-specific risk mitigation measures

see other section

#### 4.14.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

see other section

#### 4.14.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

see other section

#### 4.14.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

see other section

#### 4.15 Use description

##### Use 15 - Against wood discolouring fungi

##### Product type

PT08 - Wood preservatives (Preservatives)

##### Where relevant, an exact description of the authorised use

Not available

##### Target organism(s) (including development stage)

wood discolouring fungi-Not available

##### Field(s) of use

Indoor  
Outdoor

##### Application method(s)

Open system: brush treatment -  
Not available

**Application rate(s) and frequencies**

200-250 ml/m<sup>2</sup> - 0 -  
200-250 g/m<sup>2</sup>

**Category(ies) of users**

Professional  
General public (non-professional)

**Pack sizes and packaging material**

can, not available , 1  
  
1-20L

**4.15.1 Use-specific instructions for use**

see other section

**4.15.2 Use-specific risk mitigation measures**

see other section

**4.15.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment**

see other section

**4.15.4 Where specific to the use, the instructions for safe disposal of the product and its packaging**

see other section

**4.15.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage**

see other section

**4.16 Use description**

## Use 16 - Against wood discolouring fungi

|   |   |
|---|---|
| <b>Product type</b>   | PT08 - Wood preservatives (Preservatives)                   |
| <b>Where relevant, an exact description of the authorised use</b> | Not available   |
| <b>Target organism(s) (including development stage)</b>           | wood discolouring fungi-Not available                       |
| <b>Field(s) of use</b>  | Indoor<br>Outdoor   |
| <b>Application method(s)</b>                                      | Open system: brush treatment -<br>Not available             |
| <b>Application rate(s) and frequencies</b>                        | 200-250 ml/m <sup>2</sup> - 0 -<br>200-250 g/m <sup>2</sup> |
| <b>Category(ies) of users</b>                                     | Professional<br>General public (non-professional)           |
| <b>Pack sizes and packaging material</b>                          | can, not available , 1<br><br>1-20L                         |

### 4.16.1 Use-specific instructions for use

see other section

### 4.16.2 Use-specific risk mitigation measures

see other section

### 4.16.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

see other section

#### 4.16.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

see other section

#### 4.16.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

see other section

### 4.17 Use description

#### Use 17 - Against wood discolouring fungi

|   |   |
|---|---|
| <b>Product type</b>   | PT08 - Wood preservatives (Preservatives)                   |
| <b>Where relevant, an exact description of the authorised use</b> | Not available   |
| <b>Target organism(s) (including development stage)</b>           | wood discolouring fungi-Not available                       |
| <b>Field(s) of use</b>  | Indoor<br>Outdoor   |
| <b>Application method(s)</b>                                      | Open system: brush treatment -<br>Not available             |
| <b>Application rate(s) and frequencies</b>                        | 200-250 ml/m <sup>2</sup> - 0 -<br>200-250 g/m <sup>2</sup> |
| <b>Category(ies) of users</b>                                     | Professional<br>General public (non-professional)           |
| <b>Pack sizes and packaging material</b>                          | can, not available , 1<br>1-20L                             |



#### 4.17.1 Use-specific instructions for use

see other section

#### 4.17.2 Use-specific risk mitigation measures

see other section

#### 4.17.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

see other section

#### 4.17.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

see other section

#### 4.17.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

see other section

#### 4.18 Use description

##### Use 18 - Against wood discolouring fungi

##### Product type

PT08 - Wood preservatives (Preservatives)

##### Where relevant, an exact description of the authorised use

Not available

##### Target organism(s) (including development stage)

wood discolouring fungi-Not available

##### Field(s) of use

Indoor  
Outdoor

##### Application method(s)

Open system: brush treatment -  
Not available

**Application rate(s) and frequencies**

200-250 ml/m<sup>2</sup> - 0 -  
200-250 g/m<sup>2</sup>

**Category(ies) of users**

Professional  
General public (non-professional)

**Pack sizes and packaging material**

can, not available , 1  
  
1-20L

**4.18.1 Use-specific instructions for use**

see other section

**4.18.2 Use-specific risk mitigation measures**

see other section

**4.18.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment**

see other section

**4.18.4 Where specific to the use, the instructions for safe disposal of the product and its packaging**

see other section

**4.18.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage**

see other section

**4.19 Use description**

## Use 19 - Against wood discolouring fungi

|   |   |
|---|---|
| <b>Product type</b>   | PT08 - Wood preservatives (Preservatives)                   |
| <b>Where relevant, an exact description of the authorised use</b> | Not available   |
| <b>Target organism(s) (including development stage)</b>           | wood discolouring fungi-Not available                       |
| <b>Field(s) of use</b>  | Indoor<br>Outdoor   |
| <b>Application method(s)</b>                                      | Open system: brush treatment -<br>Not available             |
| <b>Application rate(s) and frequencies</b>                        | 200-250 ml/m <sup>2</sup> - 0 -<br>200-250 g/m <sup>2</sup> |
| <b>Category(ies) of users</b>                                     | Professional<br>General public (non-professional)           |
| <b>Pack sizes and packaging material</b>                          | can, not available , 1<br><br>1-20L                         |

### 4.19.1 Use-specific instructions for use

see other section

### 4.19.2 Use-specific risk mitigation measures

see other section

### 4.19.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

see other section

#### 4.19.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

see other section

#### 4.19.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

see other section

### 4.20 Use description

#### Use 20 - Against wood discolouring fungi

|   |   |
|---|---|
| <b>Product type</b>   | PT08 - Wood preservatives (Preservatives)                   |
| <b>Where relevant, an exact description of the authorised use</b> | Not available   |
| <b>Target organism(s) (including development stage)</b>           | wood discolouring fungi-Not available                       |
| <b>Field(s) of use</b>  | Indoor<br>Outdoor   |
| <b>Application method(s)</b>                                      | Open system: brush treatment -<br>Not available             |
| <b>Application rate(s) and frequencies</b>                        | 200-250 ml/m <sup>2</sup> - 0 -<br>200-250 g/m <sup>2</sup> |
| <b>Category(ies) of users</b>                                     | Professional<br>General public (non-professional)           |
| <b>Pack sizes and packaging material</b>                          | can, not available , 1<br>1-20L                             |

#### 4.20.1 Use-specific instructions for use

see other section

#### 4.20.2 Use-specific risk mitigation measures

see other section

#### 4.20.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

see other section

#### 4.20.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

see other section

#### 4.20.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

see other section

#### 4.21 Use description

##### Use 21 - Against wood discolouring fungi

##### Product type

PT08 - Wood preservatives (Preservatives)

##### Where relevant, an exact description of the authorised use

Not available

##### Target organism(s) (including development stage)

wood discolouring fungi-Not available

##### Field(s) of use

Indoor  
Outdoor

##### Application method(s)

Open system: brush treatment -  
Not available

**Application rate(s) and frequencies**

200-250 ml/m<sup>2</sup> - 0 -  
200-250 g/m<sup>2</sup>

**Category(ies) of users**

Professional  
General public (non-professional)

**Pack sizes and packaging material**

can, not available , 1  
  
1-20L

**4.21.1 Use-specific instructions for use**

see other section

**4.21.2 Use-specific risk mitigation measures**

see other section

**4.21.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment**

see other section

**4.21.4 Where specific to the use, the instructions for safe disposal of the product and its packaging**

see other section

**4.21.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage**

see other section



Sikkens Cetol HLS plus(BP)

Keep out of reach of children. Wear suitable protective clothing and gloves.

Sikkens Cetol HLS plus (BP) (Hazel)

Keep out of reach of children. Wear suitable protective clothing and gloves.

Sikkens Cetol HLS plus (BP) (Boxwood)

Keep out of reach of children. Wear suitable protective clothing and gloves.

Sikkens Cetol HLS plus (BP) (Blue)

Keep out of reach of children. Wear suitable protective clothing and gloves.

Sikkens Cetol HLS plus (BP) (Ebony)

Keep out of reach of children. Wear suitable protective clothing and gloves.

Sikkens Cetol HLS plus (BP) (Teak)

Keep out of reach of children. Wear suitable protective clothing and gloves.

Sikkens Cetol HLS plus (BP)

Keep out of reach of children. Wear suitable protective clothing and gloves.

Sikkens Cetol HLS plus (BP) (Dark Oak)

Keep out of reach of children. Wear suitable protective clothing and gloves.

Sikkens Cetol HLS plus (BP) (Pine)

Keep out of reach of children. Wear suitable protective clothing and gloves.

Sikkens Cetol HLS plus (BP) (Oregon)

Keep out of reach of children. Wear suitable protective clothing and gloves.

Sikkens Cetol HLS plus (BP) (Colourless)

Keep out of reach of children. Wear suitable protective clothing and gloves.

Sikkens Cetol HLS plus (BP) (Olive Green)

Keep out of reach of children. Wear suitable protective clothing and gloves.

Sikkens Cetol HLS plus (BP) (Cedar)

Keep out of reach of children. Wear suitable protective clothing and gloves.

Sikkens Cetol HLS plus (BP) (Fir green)

Keep out of reach of children. Wear suitable protective clothing and gloves.

Sikkens Cetol HLS plus (BP) (Mahogany)

Keep out of reach of children. Wear suitable protective clothing and gloves.

Sikkens Cetol HLS plus (BP) (Chestnut)

Keep out of reach of children. Wear suitable protective clothing and gloves.

Sikkens Cetol HLS plus (BP) (Light Oak)

Keep out of reach of children. Wear suitable protective clothing and gloves.

Sikkens Cetol HLS plus (BP) (Old Pine)

Keep out of reach of children. Wear suitable protective clothing and gloves.

Sikkens Cetol HLS plus (BP) (Larch)

Keep out of reach of children. Wear suitable protective clothing and gloves.

Sikkens Cetol HLS plus (BP) (Rosewood)

Keep out of reach of children. Wear suitable protective clothing and gloves.

Sikkens Cetol HLS plus (BP) (Russian Green)

Keep out of reach of children. Wear suitable protective clothing and gloves.

### **5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment**



Sikkens Cetol HLS plus(BP)

After skin contact: Take off immediately all contaminated clothing and wash skin immediately with plenty of water and soap. Obtain medical attention if symptoms occur.

After contact with eyes: Rinse immediately with plenty of water and seek medical if symptoms occur.

If swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs.

After inhalation: Move affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and get medical attention immediately.

Sikkens Cetol HLS plus (BP) (Hazel)

After skin contact: Take off immediately all contaminated clothing and wash skin immediately with plenty of water and soap. Obtain medical attention if symptoms occur.

After contact with eyes: Rinse immediately with plenty of water and seek medical if symptoms occur. If swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention.

After inhalation: Move the affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and get medical attention immediately.

Sikkens Cetol HLS plus (BP) (Boxwood)

After skin contact: Take off immediately all contaminated clothing and wash skin immediately with plenty of water and soap. Obtain medical attention if symptoms occur.

After contact with eyes: Rinse immediately with plenty of water and seek medical if symptoms occur. If swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention.

After inhalation: Move the affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and get medical attention immediately.

Sikkens Cetol HLS plus (BP) (Blue)

After skin contact: Take off immediately all contaminated clothing and wash skin immediately with plenty of water and soap. Obtain medical attention if symptoms occur.

After contact with eyes: Rinse immediately with plenty of water and seek medical if symptoms occur. If swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention.

After inhalation: Move the affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and get medical attention immediately.

Sikkens Cetol HLS plus (BP) (Ebony)

After skin contact: Take off immediately all contaminated clothing and wash skin immediately with plenty of water and soap. Obtain medical attention if symptoms occur.

After contact with eyes: Rinse immediately with plenty of water and seek medical if symptoms occur. If swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention.

After inhalation: Move the affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and get medical attention immediately.

Sikkens Cetol HLS plus (BP) (Teak)

After skin contact: Take off immediately all contaminated clothing and wash skin immediately with plenty of water and soap. Obtain medical attention if symptoms occur.

After contact with eyes: Rinse immediately with plenty of water and seek medical if symptoms occur. If swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention.

After inhalation: Move the affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and get medical attention immediately.

Sikkens Cetol HLS plus (BP)

After skin contact: Take off immediately all contaminated clothing and wash skin immediately with plenty of water and soap. Obtain medical attention if symptoms occur.

After contact with eyes: Rinse immediately with plenty of water and seek medical if symptoms occur. If swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention.

After inhalation: Move the affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and get medical attention immediately.

Sikkens Cetol HLS plus (BP) (Dark Oak)

After skin contact: Take off immediately all contaminated clothing and wash skin immediately with plenty of water and soap. Obtain medical attention if symptoms occur.

After contact with eyes: Rinse immediately with plenty of water and seek medical if symptoms occur. If swallowed: Do not induce

vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention.

After inhalation: Move the affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and get medical attention immediately.

Sikkens Cetol HLS plus (BP) (Pine)

After skin contact: Take off immediately all contaminated clothing and wash skin immediately with plenty of water and soap. Obtain medical attention if symptoms occur.

After contact with eyes: Rinse immediately with plenty of water and seek medical if symptoms occur. If swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention.

After inhalation: Move the affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and get medical attention immediately.

Sikkens Cetol HLS plus (BP) (Oregon)

After skin contact: Take off immediately all contaminated clothing and wash skin immediately with plenty of water and soap. Obtain medical attention if symptoms occur.

After contact with eyes: Rinse immediately with plenty of water and seek medical if symptoms occur. If swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention.

After inhalation: Move the affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and get medical attention immediately.

Sikkens Cetol HLS plus (BP) (Colourless)

After skin contact: Take off immediately all contaminated clothing and wash skin immediately with plenty of water and soap. Obtain medical attention if symptoms occur.

After contact with eyes: Rinse immediately with plenty of water and seek medical if symptoms occur. If swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention.

After inhalation: Move the affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and get medical attention immediately.

Sikkens Cetol HLS plus (BP) (Olive Green)

After skin contact: Take off immediately all contaminated clothing and wash skin immediately with plenty of water and soap. Obtain medical attention if symptoms occur.

After contact with eyes: Rinse immediately with plenty of water and seek medical if symptoms occur. If swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention.

After inhalation: Move the affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and get medical attention immediately.

Sikkens Cetol HLS plus (BP) (Cedar)

After skin contact: Take off immediately all contaminated clothing and wash skin immediately with plenty of water and soap. Obtain medical attention if symptoms occur.

After contact with eyes: Rinse immediately with plenty of water and seek medical if symptoms occur. If swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention.

After inhalation: Move the affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and get medical attention immediately.

Sikkens Cetol HLS plus (BP) (Fir green)

After skin contact: Take off immediately all contaminated clothing and wash skin immediately with plenty of water and soap. Obtain medical attention if symptoms occur.

After contact with eyes: Rinse immediately with plenty of water and seek medical if symptoms occur. If swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention.

After inhalation: Move the affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and get medical attention immediately.

Sikkens Cetol HLS plus (BP) (Mahogany)

After skin contact: Take off immediately all contaminated clothing and wash skin immediately with plenty of water and soap. Obtain medical attention if symptoms occur.

After contact with eyes: Rinse immediately with plenty of water and seek medical if symptoms occur. If swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention.

After inhalation: Move the affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and get medical attention immediately.

Sikkens Cetol HLS plus (BP) (Chestnut)

After skin contact: Take off immediately all contaminated clothing and wash skin immediately with plenty of water and soap. Obtain medical attention if symptoms occur.

After contact with eyes: Rinse immediately with plenty of water and seek medical if symptoms occur. If swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention.

After inhalation: Move the affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and get medical attention immediately.

Sikkens Cetol HLS plus (BP) (Light Oak)

After skin contact: Take off immediately all contaminated clothing and wash skin immediately with plenty of water and soap. Obtain medical attention if symptoms occur.

After contact with eyes: Rinse immediately with plenty of water and seek medical if symptoms occur. If swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention.

After inhalation: Move the affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and get medical attention immediately.

Sikkens Cetol HLS plus (BP) (Old Pine)

After skin contact: Take off immediately all contaminated clothing and wash skin immediately with plenty of water and soap. Obtain medical attention if symptoms occur.

After contact with eyes: Rinse immediately with plenty of water and seek medical if symptoms occur. If swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention.

After inhalation: Move the affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and get medical attention immediately.

Sikkens Cetol HLS plus (BP) (Larch)

After skin contact: Take off immediately all contaminated clothing and wash skin immediately with plenty of water and soap. Obtain medical attention if symptoms occur.

After contact with eyes: Rinse immediately with plenty of water and seek medical if symptoms occur. If swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention.

After inhalation: Move the affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and get medical attention immediately.

Sikkens Cetol HLS plus (BP) (Rosewood)

After skin contact: Take off immediately all contaminated clothing and wash skin immediately with plenty of water and soap. Obtain medical attention if symptoms occur.

After contact with eyes: Rinse immediately with plenty of water and seek medical if symptoms occur. If swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention.

After inhalation: Move the affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and get medical attention immediately.

Sikkens Cetol HLS plus (BP) (Russian Green)

After skin contact: Take off immediately all contaminated clothing and wash skin immediately with plenty of water and soap. Obtain medical attention if symptoms occur.

After contact with eyes: Rinse immediately with plenty of water and seek medical if symptoms occur. If swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention.

After inhalation: Move the affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and get medical attention immediately.

#### 5.4. Instructions for safe disposal of the product and its packaging



Sikkens Cetol HLS plus (BP) (Chestnut)  
European waste code (EWC): 02 0205: other wood preservatives containing dangerous substances / 20 0127: Municipal wastes (household, waste and similar commercial, industrial and institutional wastes) including separately collected fractions: paint, inks, adhesives and resins containing dangerous substances.

Sikkens Cetol HLS plus (BP) (Light Oak)  
European waste code (EWC): 02 0205: other wood preservatives containing dangerous substances / 20 0127: Municipal wastes (household, waste and similar commercial, industrial and institutional wastes) including separately collected fractions: paint, inks, adhesives and resins containing dangerous substances.

Sikkens Cetol HLS plus (BP) (Old Pine)  
European waste code (EWC): 02 0205: other wood preservatives containing dangerous substances / 20 0127: Municipal wastes (household, waste and similar commercial, industrial and institutional wastes) including separately collected fractions: paint, inks, adhesives and resins containing dangerous substances.

Sikkens Cetol HLS plus (BP) (Larch)  
European waste code (EWC): 02 0205: other wood preservatives containing dangerous substances / 20 0127: Municipal wastes (household, waste and similar commercial, industrial and institutional wastes) including separately collected fractions: paint, inks, adhesives and resins containing dangerous substances.

Sikkens Cetol HLS plus (BP) (Rosewood)  
European waste code (EWC): 02 0205: other wood preservatives containing dangerous substances / 20 0127: Municipal wastes (household, waste and similar commercial, industrial and institutional wastes) including separately collected fractions: paint, inks, adhesives and resins containing dangerous substances.

Sikkens Cetol HLS plus (BP) (Russian Green)  
European waste code (EWC): 02 0205: other wood preservatives containing dangerous substances / 20 0127: Municipal wastes (household, waste and similar commercial, industrial and institutional wastes) including separately collected fractions: paint, inks, adhesives and resins containing dangerous substances.

## 5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

Sikkens Cetol HLS plus(BP)

Store product in tightly closed original containers at temperatures about 5 - 30°C. The product is stable for 3 years at room temperature.

Sikkens Cetol HLS plus (BP) (Hazel)

Store product in tightly closed original containers at temperatures about 5 – 30°C. The product is stable for 3 years at room temperature.

Sikkens Cetol HLS plus (BP) (Boxwood)

Store product in tightly closed original containers at temperatures about 5 – 30°C. The product is stable for 3 years at room temperature.

Sikkens Cetol HLS plus (BP) (Blue)

Store product in tightly closed original containers at temperatures about 5 – 30°C. The product is stable for 3 years at room temperature.

Sikkens Cetol HLS plus (BP) (Ebony)

Store product in tightly closed original containers at temperatures about 5 – 30°C. The product is stable for 3 years at room temperature.

Sikkens Cetol HLS plus (BP) (Teak)

Store product in tightly closed original containers at temperatures about 5 – 30°C. The product is stable for 3 years at room temperature.

Sikkens Cetol HLS plus (BP)

Store product in tightly closed original containers at temperatures about 5 – 30°C. The product is stable for 3 years at room temperature.

Sikkens Cetol HLS plus (BP) (Dark Oak)

Store product in tightly closed original containers at temperatures about 5 – 30°C. The product is stable for 3 years at room temperature.

Sikkens Cetol HLS plus (BP) (Pine)

Store product in tightly closed original containers at temperatures about 5 – 30°C. The product is stable for 3 years at room temperature.

Sikkens Cetol HLS plus (BP) (Oregon)

Store product in tightly closed original containers at temperatures about 5 – 30°C. The product is stable for 3 years at room temperature.

Sikkens Cetol HLS plus (BP) (Colourless)

Store product in tightly closed original containers at temperatures about 5 – 30°C. The product is stable for 3 years at room temperature.

Sikkens Cetol HLS plus (BP) (Olive Green)

Store product in tightly closed original containers at temperatures about 5 – 30°C. The product is stable for 3 years at room temperature.

Sikkens Cetol HLS plus (BP) (Cedar)

Store product in tightly closed original containers at temperatures about 5 – 30°C. The product is stable for 3 years at room temperature.

Sikkens Cetol HLS plus (BP) (Fir green)

Store product in tightly closed original containers at temperatures about 5 – 30°C. The product is stable for 3 years at room temperature.

Sikkens Cetol HLS plus (BP) (Mahogany)

Store product in tightly closed original containers at temperatures about 5 – 30°C. The product is stable for 3 years at room temperature.

Sikkens Cetol HLS plus (BP) (Chestnut)

Store product in tightly closed original containers at temperatures about 5 – 30°C. The product is stable for 3 years at room temperature.

Sikkens Cetol HLS plus (BP) (Light Oak)

Store product in tightly closed original containers at temperatures about 5 – 30°C. The product is stable for 3 years at room temperature.

Sikkens Cetol HLS plus (BP) (Old Pine)

Store product in tightly closed original containers at temperatures about 5 – 30°C. The product is stable for 3 years at room temperature.

Sikkens Cetol HLS plus (BP) (Larch)

Store product in tightly closed original containers at temperatures about 5 – 30°C. The product is stable for 3 years at room

temperature.  
Sikkens Cetol HLS plus (BP) (Rosewood)

Store product in tightly closed original containers at temperatures about 5 – 30°C. The product is stable for 3 years at room temperature.

Sikkens Cetol HLS plus (BP) (Russian Green)

Store product in tightly closed original containers at temperatures about 5 – 30°C. The product is stable for 3 years at room temperature.

## 6. Other information

Sikkens Cetol HLS plus(BP), DK  
Sikkens Cetol HLS plus(BPR), IT  
Sikkens Cetol HLS plus(BPR), CH  
Xyladecor Holzschutzlasur BPR, AT  
Xyladecor Classic HP(BPR), CZ  
Xyladecor Classic HP(BPR), SK  
Vivexyl Plus, GR  
SADOLIN Classic HP(BPR), HU  
SADOLIN Classic HP(BPR), PL  
SADOLIN IMPREGNAT CLASSIC HP(BPR), PL  
SADOLIN Classic(BPR), PL  
SADOLIN IMPREGNAT CLASSIC(BPR), PL  
Vivexyl Plus, CY  
Vivexyl Plus, BG  
Sikkens Cetol HLS plus(BP)

Use biocides safely. Always read the label and product information before use.  
P501: Dispose of container to local rules

Sikkens Cetol HLS plus (BP) (Hazel)  
Use biocides safely. Always read the label and product information before use.

Supplementary statement under Labelling: "Contains 3-iodo-2-propynyl butylcarbamate and 2-butanone oxime."

Sikkens Cetol HLS plus (BP) (Boxwood)  
Use biocides safely. Always read the label and product information before use.

Supplementary statement under Labelling: "Contains 3-iodo-2-propynyl butylcarbamate and 2-butanone oxime."

Sikkens Cetol HLS plus (BP) (Blue)  
Use biocides safely. Always read the label and product information before use.

Supplementary statement under Labelling: "Contains 3-iodo-2-propynyl butylcarbamate and 2-butanone oxime."

Sikkens Cetol HLS plus (BP) (Ebony)  
Use biocides safely. Always read the label and product information before use.

Supplementary statement under Labelling: "Contains 3-iodo-2-propynyl butylcarbamate and 2-butanone oxime."

Sikkens Cetol HLS plus (BP) (Teak)  
Use biocides safely. Always read the label and product information before use.

Supplementary statement under Labelling: "Contains 3-iodo-2-propynyl butylcarbamate and 2-butanone oxime."

Sikkens Cetol HLS plus (BP)  
Use biocides safely. Always read the label and product information before use.

Supplementary statement under Labelling: "Contains 3-iodo-2-propynyl butylcarbamate and 2-butanone oxime."

Sikkens Cetol HLS plus (BP) (Dark Oak)  
Use biocides safely. Always read the label and product information before use.

Supplementary statement under Labelling: "Contains 3-iodo-2-propynyl butylcarbamate and 2-butanone oxime."

Sikkens Cetol HLS plus (BP) (Pine)  
Use biocides safely. Always read the label and product information before use.

Supplementary statement under Labelling: "Contains 3-iodo-2-propynyl butylcarbamate and 2-butanone oxime."

Sikkens Cetol HLS plus (BP) (Oregon)

Use biocides safely. Always read the label and product information before use.

Supplementary statement under Labelling: "Contains 3-iodo-2-propynyl butylcarbamate and 2-butanone oxime."

Sikkens Cetol HLS plus (BP) (Colourless)

Use biocides safely. Always read the label and product information before use.

Supplementary statement under Labelling: "Contains 3-iodo-2-propynyl butylcarbamate and 2-butanone oxime."

Sikkens Cetol HLS plus (BP) (Olive Green)

Use biocides safely. Always read the label and product information before use.

Supplementary statement under Labelling: "Contains 3-iodo-2-propynyl butylcarbamate and 2-butanone oxime."

Sikkens Cetol HLS plus (BP) (Cedar)

Use biocides safely. Always read the label and product information before use.

Supplementary statement under Labelling: "Contains 3-iodo-2-propynyl butylcarbamate and 2-butanone oxime."

Sikkens Cetol HLS plus (BP) (Fir green)

Use biocides safely. Always read the label and product information before use.

Supplementary statement under Labelling: "Contains 3-iodo-2-propynyl butylcarbamate and 2-butanone oxime."

Sikkens Cetol HLS plus (BP) (Mahogany)

Use biocides safely. Always read the label and product information before use.

Supplementary statement under Labelling: "Contains 3-iodo-2-propynyl butylcarbamate and 2-butanone oxime."

Sikkens Cetol HLS plus (BP) (Chestnut)

Use biocides safely. Always read the label and product information before use.

Supplementary statement under Labelling: "Contains 3-iodo-2-propynyl butylcarbamate and 2-butanone oxime."

Sikkens Cetol HLS plus (BP) (Light Oak)

Use biocides safely. Always read the label and product information before use.

Supplementary statement under Labelling: "Contains 3-iodo-2-propynyl butylcarbamate and 2-butanone oxime."

Sikkens Cetol HLS plus (BP) (Old Pine)

Use biocides safely. Always read the label and product information before use.

Supplementary statement under Labelling: "Contains 3-iodo-2-propynyl butylcarbamate and 2-butanone oxime."

Sikkens Cetol HLS plus (BP) (Larch)

Use biocides safely. Always read the label and product information before use.

Supplementary statement under Labelling: "Contains 3-iodo-2-propynyl butylcarbamate and 2-butanone oxime."

Sikkens Cetol HLS plus (BP) (Rosewood)

Use biocides safely. Always read the label and product information before use.

Supplementary statement under Labelling: "Contains 3-iodo-2-propynyl butylcarbamate and 2-butanone oxime."

Sikkens Cetol HLS plus (BP) (Russian Green)

Use biocides safely. Always read the label and product information before use.

Supplementary statement under Labelling: "Contains 3-iodo-2-propynyl butylcarbamate and 2-butanone oxime."

#### Bilag 1

Oplysninger til etiket og brugsanvisning for Sikkens Cetol HLS Plus (BP), BPR-reg. nr. 782-7

Rettelse: Tilføjet H412 til bilag 1.

I. Etiketten skal udformes i overensstemmelse med artikel 69 i biocidforordningen (Forordning (EU) nr. 528/2012), og CLP Forordningen<sup>1</sup>.

II. Det er udelukkende ansøgers/godkendelsesindehaverens ansvar, at etiket, mærkning og pakning lever op til lovens krav, jf. biocidforordningen artikel 69. Nedstående tekst i afsnit III er bidrag til overholdelsen af reglerne og således kun en del af de krav, som stilles til blandt andet etiketten.

III. Etiketten skal indeholde nedenstående oplysninger. Oplysninger i citationstegn skal angives ordret:

1) I hovedfeltet:

"Træbeskyttelsesmiddel (PT8)

Må kun anvendes over jord som træbeskyttelse mod blåsplint. Må kun anvendes i brugsklasse 2 og 3 jf. DS/EN335-1."

2) I advarselsfeltet:

" FORSIGTIG

Skadelig for vandlevendeorganismer, medlangvarige virkninger (H412)

Undgå udledning til miljøet (P273)

Vær opmærksom på, at Arbejdstilsynet har regler for arbejde med bekæmpelsesmidler. Læs nærmere i det eventuelt lovpligtige sikkerhedsdatablad samt i Arbejdstilsynets informationsmateriale om bekæmpelsesmidler.



Vask huden efter arbejde.

1 Europa-Parlamentets og Rådets forordning (EF) Nr. 1272/2008 af 16. december 2008 om klassificering, mærkning og emballering af stoffer og blandinger og om ændring og ophævelse af direktiv 67/548/EØF og 1999/45/EF og om ændring af forordning (EF) nr. 1907/2006

Overtrædelse af nedenstående særligt fremhævede forskrifter kan medføre straf:

Må kun anvendes over jord som træbeskyttelse mod blåsplint. Må kun anvendes i brugsklasse 2 og 3 jf. DS/EN335-1.

Må kun anvendes i doseringer på 200-250 ml/m<sup>2</sup> ved pensling.

Må ikke anvendes mod andre skadevoldere og ikke i højere doseringer end de i brugsanvisningen nævnte.

Må ikke anvendes indendørs.

Må ikke anvendes til træværk, der kommer i direkte berøring med fødevarer og foderstoffer.

Opbevares utilgængeligt for børn.

Må ikke opbevares sammen med fødevarer, drikkevarer og foderstoffer.

Evt. oplysninger om førstehjælp.

3) I deklarationsfeltet:

a) Teksten "Træbeskyttelsesmiddel BPR-reg. nr. 782-7. Aktivstof og biocidholdigt produkt er godkendt efter biocidforordningen (Forordning (EU) nr. 528/2012)".

b) Oplysning om præparattype: "væske" for dette præparat.

c) Indholdet af aktivstof i vægtprocent og g/L ved 20 °C

d) Sætningen: "Indeholder IPBC og 2-butanonoxim. Kan udløse allergisk reaktion"

e) Udløbsdatoen skal anføres. Denne dato må højst være 3 år efter produktionsdatoen. Etikettens dato kan udformes som en henvisning til en produktionsdato andetsteds på emballagen.

f) Batchnummer eller – betegnelse skal anføres.

g) Pakningsstørrelse i liter.

h) Navn og firmaadresse, herunder telefonnummer, for en i en medlemsstat etableret fysisk eller juridisk person, som er ansvarlig for markedsføringen (godkendelsesindehaveren).

4) Brugsanvisningen:

Oplysninger om skadevoldere, anvendelsesområde og doseringer.

Følgende retningslinjer gælder i forhold til bortskaffelse.

Der skal mærkes med sikkerhedssætning P501: "Indholdet/holderen bortskaffes i overensstemmelse med kommunale regler for affaldshåndtering."

Derudover skal mærkningen ske efter følgende retningslinjer:

Tom emballage og rester bortskaffes i henhold til kommunale retningslinjer.