

Summary of product characteristics for a biocidal product family

Family name: Sikkens Cetol HLS plus(BPR)

Product type(s): PT08 - Wood preservatives (Preservatives)

Authorisation number: CH-2017-0011

R4BP 3 asset reference number: CH-0017334-0000

Table Of Contents

Part I.- First information level	1
1. Administrative information	1
1.1. Family name	1
1.2. Product type(s)	1
1.3. Authorisation holder	1
1.4. Manufacturer(s) of the biocidal products	1
1.5. Manufacturer(s) of the active substance(s)	2
2. Product family composition and formulation	2
2.1. Qualitative and quantitative information on the composition of the family	2
2.2. Type of formulation	3
Part II.- Second information level - meta SPC(s)	3
1. Meta SPC administrative information	3
1.1. Meta SPC identifier - meta SPC	3
1.2. Suffix to the authorisation number	3
1.3 Product type(s)	3
2. Meta SPC composition	3
2.1. Qualitative and quantitative information on the composition of the meta SPC	3
2.2. Type(s) of formulation of the meta SPC	4
3. Hazard and precautionary statements of the meta SPC	4
4. Authorised use(s) of the meta SPC	4
4.1.1 Use-specific instructions for use	5
4.1.2 Use-specific risk mitigation measures	5
4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid	5
4.1.4 Where specific to the use, the instructions for safe disposal of the product and its	6
4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under	6
4.2.1 Use-specific instructions for use	7
4.2.2 Use-specific risk mitigation measures	7
4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid	7

4.2.4 Where specific to the use, the instructions for safe disposal of the product and its	7
4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under	7
4.3.1 Use-specific instructions for use	8
4.3.2 Use-specific risk mitigation measures	8
4.3.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid	8
4.3.4 Where specific to the use, the instructions for safe disposal of the product and its	9
4.3.5 Where specific to the use, the conditions of storage and shelf-life of the product under	9
4.4.1 Use-specific instructions for use	10
4.4.2 Use-specific risk mitigation measures	10
4.4.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid	10
4.4.4 Where specific to the use, the instructions for safe disposal of the product and its	10
4.4.5 Where specific to the use, the conditions of storage and shelf-life of the product under	10
4.5.1 Use-specific instructions for use	11
4.5.2 Use-specific risk mitigation measures	11
4.5.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid	11
4.5.4 Where specific to the use, the instructions for safe disposal of the product and its	12
4.5.5 Where specific to the use, the conditions of storage and shelf-life of the product under	12
4.6.1 Use-specific instructions for use	13
4.6.2 Use-specific risk mitigation measures	13
4.6.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid	13
4.6.4 Where specific to the use, the instructions for safe disposal of the product and its	13
4.6.5 Where specific to the use, the conditions of storage and shelf-life of the product under	13
4.7.1 Use-specific instructions for use	14
4.7.2 Use-specific risk mitigation measures	14
4.7.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid	14
4.7.4 Where specific to the use, the instructions for safe disposal of the product and its	14
4.7.5 Where specific to the use, the conditions of storage and shelf-life of the product under	15
4.8.1 Use-specific instructions for use	16
4.8.2 Use-specific risk mitigation measures	16
4.8.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid	16

4.8.4 Where specific to the use, the instructions for safe disposal of the product and its	16
4.8.5 Where specific to the use, the conditions of storage and shelf-life of the product under	16
4.9.1 Use-specific instructions for use	17
4.9.2 Use-specific risk mitigation measures	17
4.9.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid	17
4.9.4 Where specific to the use, the instructions for safe disposal of the product and its	17
4.9.5 Where specific to the use, the conditions of storage and shelf-life of the product under	17
4.10.1 Use-specific instructions for use	18
4.10.2 Use-specific risk mitigation measures	19
4.10.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid	19
4.10.4 Where specific to the use, the instructions for safe disposal of the product and its	19
4.10.5 Where specific to the use, the conditions of storage and shelf-life of the product under	19
4.11.1 Use-specific instructions for use	20
4.11.2 Use-specific risk mitigation measures	20
4.11.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid	20
4.11.4 Where specific to the use, the instructions for safe disposal of the product and its	20
4.11.5 Where specific to the use, the conditions of storage and shelf-life of the product under	20
4.12.1 Use-specific instructions for use	21
4.12.2 Use-specific risk mitigation measures	21
4.12.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid	22
4.12.4 Where specific to the use, the instructions for safe disposal of the product and its	22
4.12.5 Where specific to the use, the conditions of storage and shelf-life of the product under	22
4.13.1 Use-specific instructions for use	23
4.13.2 Use-specific risk mitigation measures	23
4.13.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid	23
4.13.4 Where specific to the use, the instructions for safe disposal of the product and its	23
4.13.5 Where specific to the use, the conditions of storage and shelf-life of the product under	23
4.14.1 Use-specific instructions for use	24
4.14.2 Use-specific risk mitigation measures	24
4.14.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid	25

4.14.4 Where specific to the use, the instructions for safe disposal of the product and its	25
4.14.5 Where specific to the use, the conditions of storage and shelf-life of the product under	25
4.15.1 Use-specific instructions for use	26
4.15.2 Use-specific risk mitigation measures	26
4.15.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid	26
4.15.4 Where specific to the use, the instructions for safe disposal of the product and its	26
4.15.5 Where specific to the use, the conditions of storage and shelf-life of the product under	26
4.16.1 Use-specific instructions for use	27
4.16.2 Use-specific risk mitigation measures	27
4.16.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid	28
4.16.4 Where specific to the use, the instructions for safe disposal of the product and its	28
4.16.5 Where specific to the use, the conditions of storage and shelf-life of the product under	28
4.17.1 Use-specific instructions for use	29
4.17.2 Use-specific risk mitigation measures	29
4.17.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid	29
4.17.4 Where specific to the use, the instructions for safe disposal of the product and its	29
4.17.5 Where specific to the use, the conditions of storage and shelf-life of the product under	29
4.18.1 Use-specific instructions for use	30
4.18.2 Use-specific risk mitigation measures	30
4.18.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid	31
4.18.4 Where specific to the use, the instructions for safe disposal of the product and its	31
4.18.5 Where specific to the use, the conditions of storage and shelf-life of the product under	31
4.19.1 Use-specific instructions for use	32
4.19.2 Use-specific risk mitigation measures	32
4.19.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid	32
4.19.4 Where specific to the use, the instructions for safe disposal of the product and its	32
4.19.5 Where specific to the use, the conditions of storage and shelf-life of the product under	32
4.20.1 Use-specific instructions for use	33
4.20.2 Use-specific risk mitigation measures	33
4.20.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid	34

4.20.4 Where specific to the use, the instructions for safe disposal of the product and its	34
4.20.5 Where specific to the use, the conditions of storage and shelf-life of the product under	34
4.21.1 Use-specific instructions for use	35
4.21.2 Use-specific risk mitigation measures	35
4.21.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid	35
4.21.4 Where specific to the use, the instructions for safe disposal of the product and its	35
4.21.5 Where specific to the use, the conditions of storage and shelf-life of the product under	35
5. General directions for use of the meta SPC	35
5.1. Instructions for use	35
5.2. Risk mitigation measures	36
5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to	37
5.4. Instructions for safe disposal of the product and its packaging	40
5.5. Conditions of storage and shelf-life of the product under normal conditions of storage	42
6. Other information	43
7. Third information level: individual products in the meta SPC	45
7.1 Trade name(s), authorisation number and specific composition of each individual product	45

Part I.- First information level

1. Administrative information

1.1. Family name

Sikkens Cetol HLS plus(BPR)

1.2. Product type(s)

PT08 - Wood preservatives (Preservatives)

1.3. Authorisation holder

Name and address of the authorisation holder

Name	Akzo Nobel Decorative Coatings B.V.
Address	Christian Neefestraat 2 - Attn. Director PSRAQ 1077 WW Amsterdam Netherlands

Authorisation number

CH-2017-0011

R4BP 3 asset reference number

CH-0017334-0000

Date of the authorisation

22/06/2015

Expiry date of the authorisation

30/06/2020

1.4. Manufacturer(s) of the biocidal products

Name of the manufacturer

Akzo Nobel Decorative Paints SA

Address of the manufacturer

Z.I. "Les Bas Prés", C.S. 70113 60160 Montataire France

Location of manufacturing sites

Z.I. "Les Bas Prés", C.S. 70113 60160 Montataire France

Name of the manufacturer	Akzo Nobel Decorative Coatings Sp.z.o.o.
Address of the manufacturer	ul. Krakowiaków 48 02-255 Warszawa Poland
Location of manufacturing sites	ul. Przemysłowa 3 08-440 Pilawa Poland

Name of the manufacturer	VIVECHROM S.A.
Address of the manufacturer	P.O. Box 4 192 00 Elefsis Greece
Location of manufacturing sites	P.O. Box 4 192 00 Elefsis Greece

1.5. Manufacturer(s) of the active substance(s)

Active substance	39 - 3-iodo-2-propynylbutylcarbamate (IPBC)
Name of the manufacturer	TROY Corporation
Address of the manufacturer	8 Vreeland Road, Florham Park 07932 New Jersey United States
Location of manufacturing sites	One Avenue L NJ 07105 Newark United States

Active substance	39 - 3-iodo-2-propynylbutylcarbamate (IPBC)
Name of the manufacturer	TROY Chemical Corporation
Address of the manufacturer	One Avenue L NJ 07105 Newark United States
Location of manufacturing sites	12e Uiverlaan 3145 Maassluis Netherlands

2. Product family composition and formulation

2.1. Qualitative and quantitative information on the composition of the family

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
3-iodo-2-propynylbutylcarbamate (IPBC)		Active Substance	55406-53-6	259-627-5	0.7 - 0.7
Dearomatised hydrocarbon			64742-47-8		21.394 - 23.373

2.2. Type(s) of formulation

AL - Any other liquid

Part II.- Second information level - meta SPC(s)

1. Meta SPC administrative information

1.1. Meta SPC identifier

meta SPC

1.2. Suffix to the authorisation number

1-1

1.3 Product type(s)

PT08 - Wood preservatives (Preservatives)

2. Meta SPC composition

2.1. Qualitative and quantitative information on the composition of the meta SPC

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
3-iodo-2-propynylbutylcarbamate (IPBC)		Active Substance	55406-53-6	259-627-5	0.7 - 0.7

2.2. Type(s) of formulation of the meta SPC

Formulation(s)

AL - Any other liquid

3. Hazard and precautionary statements of the meta SPC

Hazard statements

Harmful to aquatic life with long lasting effects.

Repeated exposure may cause skin dryness or cracking.

Contains 3-iodo-2-propynyl butylcarbamate and 2-butanone oxime. May produce an allergic reaction.

Precautionary statements

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Do not get in eyes, on skin, or on clothing.

Avoid release to the environment.

Call a POISON CENTER if you feel unwell.

Dispose of contents to local rules.

Call a POISON CENTER if you feel unwell.

Dispose of container to local rules.

4. Authorised use(s) of the meta SPC

4.1 Use description

Use 1 - Against wood discolouring fungi**Product type**

PT08 - Wood preservatives (Preservatives)

Where relevant, an exact description of the authorised use

For all outside wood, which is not in direct contact to soil or surface water and not stressed statically, e.g. facades, windows (inner and outer parts), carpports, shutters and balcony railings. Not for indoor use.

Target organism(s) (including development stage)

Aureobasidium pullulans spp.-Sapstain fungi-

Field(s) of use	Indoor Outdoor
Application method(s)	Open system: brush treatment - Not available
Application rate(s) and frequencies	200-250 ml/m ² - No dilution - 200-250 g/m ²
Category(ies) of users	Professional General public (non-professional)
Pack sizes and packaging material	Can /Tin, Metal: , 0.75L - 20L (0.75L; 1L; 2.5L; 3L; 5L; 5.5L; 6L; 9L; 9.5L; 10L; 11L; 11.5L; 12L; 20L)

4.1.1 Use-specific instructions for use

For all outside wood, which is not in direct contact to soil or surface water and not stressed statically, e.g. facades, windows (inner and outer parts), carports, shutters and balcony railings. Not for indoor use.

4.1.2 Use-specific risk mitigation measures

Keep out of reach of children. Wear suitable protective clothing and gloves

4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

After skin contact: Take off immediately all contaminated clothing and wash skin immediately with plenty of water and soap. Obtain medical attention if symptoms occur.
 After contact with eyes: Rinse immediately with plenty of water and seek medical if symptoms occur.
 If swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs.
 After inhalation: Move affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery

position and get medical attention immediately.

4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

European waste code (EWC): 03 02 05: other wood preservatives containing dangerous substances / 20 01 27: Municipal wastes (household, waste and similar commercial, industrial and institutional wastes) including separately collected fractions: paint, inks, adhesives and resins containing dangerous substances.

4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

Store product in tightly closed original containers at temperatures about 5 - 30°C. The product is stable for 3 years at room temperature.

4.2 Use description

Use 2 - Against wood discolouring fungi

Product type	PT08 - Wood preservatives (Preservatives)
Where relevant, an exact description of the authorised use	Not available
Target organism(s) (including development stage)	wood discolouring fungi-Not available
Field(s) of use	Indoor Outdoor
Application method(s)	Open system: brush treatment - Not available
Application rate(s) and frequencies	200-250 ml/m ² - 0 - 200-250 g/m ²
Category(ies) of users	Professional General public (non-professional)

Pack sizes and packaging material

can, not available , 1
1-20L

4.2.1 Use-specific instructions for use

see other section

4.2.2 Use-specific risk mitigation measures

see other section

4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

see other section

4.2.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

see other section

4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

see other section

4.3 Use description

Use 3 - Against wood discolouring fungi

Product type

PT08 - Wood preservatives (Preservatives)

Where relevant, an exact description of the authorised use	Not available
Target organism(s) (including development stage)	wood discolouring fungi-Not available
Field(s) of use	Indoor Outdoor
Application method(s)	Open system: brush treatment - Not available
Application rate(s) and frequencies	200-250 ml/m ² - 0 - 200-250 g/m ²
Category(ies) of users	Professional General public (non-professional)
Pack sizes and packaging material	can, not available , 1 1-20L

4.3.1 Use-specific instructions for use

see other section

4.3.2 Use-specific risk mitigation measures

see other section

4.3.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

see other section

4.3.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

see other section

4.3.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

see other section

4.4 Use description

Use 4 - Against wood discolouring fungi

Product type	PT08 - Wood preservatives (Preservatives)
Where relevant, an exact description of the authorised use	Not available
Target organism(s) (including development stage)	wood discolouring fungi-Not available
Field(s) of use	Indoor Outdoor
Application method(s)	Open system: brush treatment - Not available
Application rate(s) and frequencies	200-250 ml/m ² - 0 - 200-250 g/m ²
Category(ies) of users	Professional General public (non-professional)
Pack sizes and packaging material	can, not available , 1

1-20L

4.4.1 Use-specific instructions for use

see other section

4.4.2 Use-specific risk mitigation measures

see other section

4.4.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

see other section

4.4.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

see other section

4.4.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

see other section

4.5 Use description

Use 5 - Against wood discolouring fungi

Product type

PT08 - Wood preservatives (Preservatives)

Where relevant, an exact description of the authorised use

Not available

Target organism(s) (including development stage)	wood discolouring fungi-Not available
Field(s) of use	Indoor Outdoor
Application method(s)	Open system: brush treatment - Not available
Application rate(s) and frequencies	200-250 ml/m ² - 0 - 200-250 g/m ²
Category(ies) of users	Professional General public (non-professional)
Pack sizes and packaging material	can, not available , 1 1-20L

4.5.1 Use-specific instructions for use

see other section

4.5.2 Use-specific risk mitigation measures

see other section

4.5.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

see other section

4.5.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

see other section

4.5.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

see other section

4.6 Use description

Use 6 - Against wood discolouring fungi

Product type	PT08 - Wood preservatives (Preservatives)
Where relevant, an exact description of the authorised use	Not available
Target organism(s) (including development stage)	wood discolouring fungi-Not available
Field(s) of use	Indoor Outdoor
Application method(s)	Open system: brush treatment - Not available
Application rate(s) and frequencies	200-250 ml/m ² - 0 - 200-250 g/m ²
Category(ies) of users	Professional General public (non-professional)
Pack sizes and packaging material	can, not available , 1 1-20L

4.6.1 Use-specific instructions for use

see other section

4.6.2 Use-specific risk mitigation measures

see other section

4.6.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

see other section

4.6.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

see other section

4.6.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

see other section

4.7 Use description

Use 7 - Against wood discolouring fungi

Product type

PT08 - Wood preservatives (Preservatives)

Where relevant, an exact description of the authorised use

Not available

Target organism(s) (including development stage)

wood discolouring fungi-Not available

Field(s) of use	Indoor Outdoor
Application method(s)	Open system: brush treatment - Not available
Application rate(s) and frequencies	200-250 ml/m ² - 0 - 200-250 g/m ²
Category(ies) of users	Professional General public (non-professional)
Pack sizes and packaging material	can, not available , 1 1-20L

4.7.1 Use-specific instructions for use

see other section

4.7.2 Use-specific risk mitigation measures

see other section

4.7.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

see other section

4.7.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

see other section

4.7.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

see other section

4.8 Use description

Use 8 - Against wood discolouring fungi

Product type	PT08 - Wood preservatives (Preservatives)
Where relevant, an exact description of the authorised use	Not available
Target organism(s) (including development stage)	wood discolouring fungi-Not available
Field(s) of use	Indoor Outdoor
Application method(s)	Open system: brush treatment - Not available
Application rate(s) and frequencies	200-250 ml/m ² - 0 - 200-250 g/m ²
Category(ies) of users	Professional General public (non-professional)
Pack sizes and packaging material	can, not available , 1 1-20L

4.8.1 Use-specific instructions for use

see other section

4.8.2 Use-specific risk mitigation measures

see other section

4.8.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

see other section

4.8.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

see other section

4.8.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

see other section

4.9 Use description

Use 9 - Against wood discolouring fungi

Product type

PT08 - Wood preservatives (Preservatives)

Where relevant, an exact description of the authorised use

Not available

Target organism(s) (including development stage)

wood discolouring fungi-Not available

Field(s) of use

Indoor
Outdoor

Application method(s)	Open system: brush treatment - Not available
Application rate(s) and frequencies	200-250 ml/m ² - 0 - 200-250 g/m ²
Category(ies) of users	Professional General public (non-professional)
Pack sizes and packaging material	can, not available , 1 1-20L

4.9.1 Use-specific instructions for use

see other section

4.9.2 Use-specific risk mitigation measures

see other section

4.9.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

see other section

4.9.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

see other section

4.9.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

see other section

4.10 Use description

Use 10 - Against wood discolouring fungi

Product type	PT08 - Wood preservatives (Preservatives)
Where relevant, an exact description of the authorised use	Not available
Target organism(s) (including development stage)	wood discolouring fungi-Not available
Field(s) of use	Indoor Outdoor
Application method(s)	Open system: brush treatment - Not available
Application rate(s) and frequencies	200-250 ml/m ² - 0 - 200-250 g/m ²
Category(ies) of users	Professional General public (non-professional)
Pack sizes and packaging material	can, not available , 1 1-20L

4.10.1 Use-specific instructions for use

see other section

4.10.2 Use-specific risk mitigation measures

see other section

4.10.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

see other section

4.10.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

see other section

4.10.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

see other section

4.11 Use description

Use 11 - Against wood discolouring fungi

Product type

PT08 - Wood preservatives (Preservatives)

Where relevant, an exact description of the authorised use

Not available

Target organism(s) (including development stage)

wood discolouring fungi-Not available

Field(s) of use

Indoor

Outdoor

Application method(s)

Open system: brush treatment -
Not available

200-250 ml/m² - 0 -

Application rate(s) and frequencies	200-250 g/m ²
Category(ies) of users	Professional General public (non-professional)
Pack sizes and packaging material	can, not available , 1 1-20L

4.11.1 Use-specific instructions for use

see other section

4.11.2 Use-specific risk mitigation measures

see other section

4.11.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

see other section

4.11.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

see other section

4.11.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

see other section

4.12 Use description

Use 12 - Against wood discolouring fungi

Product type	PT08 - Wood preservatives (Preservatives)
Where relevant, an exact description of the authorised use	Not available
Target organism(s) (including development stage)	wood discolouring fungi-Not available
Field(s) of use	Indoor Outdoor
Application method(s)	Open system: brush treatment - Not available
Application rate(s) and frequencies	200-250 ml/m ² - 0 - 200-250 g/m ²
Category(ies) of users	Professional General public (non-professional)
Pack sizes and packaging material	can, not available , 1 1-20L

4.12.1 Use-specific instructions for use

see other section

4.12.2 Use-specific risk mitigation measures

see other section

4.12.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

see other section

4.12.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

see other section

4.12.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

see other section

4.13 Use description

Use 13 - Against wood discolouring fungi

Product type	PT08 - Wood preservatives (Preservatives)
Where relevant, an exact description of the authorised use	Not available
Target organism(s) (including development stage)	wood discolouring fungi-Not available
Field(s) of use	Indoor Outdoor
Application method(s)	Open system: brush treatment - Not available
Application rate(s) and frequencies	200-250 ml/m ² - 0 - 200-250 g/m ²

Category(ies) of users	Professional General public (non-professional)
Pack sizes and packaging material	can, not available , 1 1-20L

4.13.1 Use-specific instructions for use

see other section

4.13.2 Use-specific risk mitigation measures

see other section

4.13.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

see other section

4.13.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

see other section

4.13.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

see other section

4.14 Use description

Use 14 - Against wood discolouring fungi

Product type	PT08 - Wood preservatives (Preservatives)
Where relevant, an exact description of the authorised use	Not available
Target organism(s) (including development stage)	wood discolouring fungi-Not available
Field(s) of use	Indoor Outdoor
Application method(s)	Open system: brush treatment - Not available
Application rate(s) and frequencies	200-250 ml/m ² - 0 - 200-250 g/m ²
Category(ies) of users	Professional General public (non-professional)
Pack sizes and packaging material	can, not available , 1 1-20L

4.14.1 Use-specific instructions for use

see other section

4.14.2 Use-specific risk mitigation measures

see other section

4.14.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

see other section

4.14.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

see other section

4.14.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

see other section

4.15 Use description

Use 15 - Against wood discolouring fungi

Product type	PT08 - Wood preservatives (Preservatives)
Where relevant, an exact description of the authorised use	Not available
Target organism(s) (including development stage)	wood discolouring fungi-Not available
Field(s) of use	Indoor Outdoor
Application method(s)	Open system: brush treatment - Not available
Application rate(s) and frequencies	200-250 ml/m ² - 0 - 200-250 g/m ²
Category(ies) of users	Professional General public (non-professional)

Pack sizes and packaging material

can, not available , 1

1-20L

4.15.1 Use-specific instructions for use

see other section

4.15.2 Use-specific risk mitigation measures

see other section

4.15.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

see other section

4.15.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

see other section

4.15.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

see other section

4.16 Use description

Use 16 - Against wood discolouring fungi

Product type	PT08 - Wood preservatives (Preservatives)
Where relevant, an exact description of the authorised use	Not available
Target organism(s) (including development stage)	wood discolouring fungi-Not available
Field(s) of use	Indoor Outdoor
Application method(s)	Open system: brush treatment - Not available
Application rate(s) and frequencies	200-250 ml/m ² - 0 - 200-250 g/m ²
Category(ies) of users	Professional General public (non-professional)
Pack sizes and packaging material	can, not available , 1 1-20L

4.16.1 Use-specific instructions for use

see other section

4.16.2 Use-specific risk mitigation measures

see other section

4.16.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

see other section

4.16.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

see other section

4.16.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

see other section

4.17 Use description

Use 17 - Against wood discolouring fungi

Product type	PT08 - Wood preservatives (Preservatives)
Where relevant, an exact description of the authorised use	Not available
Target organism(s) (including development stage)	wood discolouring fungi-Not available
Field(s) of use	Indoor Outdoor
Application method(s)	Open system: brush treatment - Not available
Application rate(s) and frequencies	200-250 ml/m ² - 0 - 200-250 g/m ²
Category(ies) of users	Professional General public (non-professional)

Pack sizes and packaging material

can, not available , 1

1-20L

4.17.1 Use-specific instructions for use

see other section

4.17.2 Use-specific risk mitigation measures

see other section

4.17.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

see other section

4.17.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

see other section

4.17.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

see other section

4.18 Use description

Use 18 - Against wood discolouring fungi

Product type	PT08 - Wood preservatives (Preservatives)
Where relevant, an exact description of the authorised use	Not available
Target organism(s) (including development stage)	wood discolouring fungi-Not available
Field(s) of use	Indoor Outdoor
Application method(s)	Open system: brush treatment - Not available
Application rate(s) and frequencies	200-250 ml/m ² - 0 - 200-250 g/m ²
Category(ies) of users	Professional General public (non-professional)
Pack sizes and packaging material	can, not available , 1 1-20L

4.18.1 Use-specific instructions for use

see other section

4.18.2 Use-specific risk mitigation measures

see other section

4.18.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

see other section

4.18.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

see other section

4.18.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

see other section

4.19 Use description

Use 19 - Against wood discolouring fungi

Product type	PT08 - Wood preservatives (Preservatives)
Where relevant, an exact description of the authorised use	Not available
Target organism(s) (including development stage)	wood discolouring fungi-Not available
Field(s) of use	Indoor Outdoor
Application method(s)	Open system: brush treatment - Not available
Application rate(s) and frequencies	200-250 ml/m ² - 0 - 200-250 g/m ²
Category(ies) of users	Professional General public (non-professional)

Pack sizes and packaging material

can, not available , 1

1-20L

4.19.1 Use-specific instructions for use

see other section

4.19.2 Use-specific risk mitigation measures

see other section

4.19.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

see other section

4.19.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

see other section

4.19.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

see other section

4.20 Use description

Use 20 - Against wood discolouring fungi

Product type	PT08 - Wood preservatives (Preservatives)
Where relevant, an exact description of the authorised use	Not available
Target organism(s) (including development stage)	wood discolouring fungi-Not available
Field(s) of use	Indoor Outdoor
Application method(s)	Open system: brush treatment - Not available
Application rate(s) and frequencies	200-250 ml/m ² - 0 - 200-250 g/m ²
Category(ies) of users	Professional General public (non-professional)
Pack sizes and packaging material	can, not available , 1 1-20L

4.20.1 Use-specific instructions for use

see other section

4.20.2 Use-specific risk mitigation measures

see other section

4.20.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

see other section

4.20.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

see other section

4.20.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

see other section

4.21 Use description

Use 21 - Against wood discolouring fungi

Product type	PT08 - Wood preservatives (Preservatives)
Where relevant, an exact description of the authorised use	Not available
Target organism(s) (including development stage)	wood discolouring fungi-Not available
Field(s) of use	Indoor Outdoor
Application method(s)	Open system: brush treatment - Not available
Application rate(s) and frequencies	200-250 ml/m ² - 0 - 200-250 g/m ²
Category(ies) of users	Professional General public (non-professional)

Pack sizes and packaging material

can, not available , 1

1-20L

4.21.1 Use-specific instructions for use

see other section

4.21.2 Use-specific risk mitigation measures

see other section

4.21.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

see other section

4.21.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

see other section

4.21.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

see other section

5. General directions for use of the meta SPC

5.1. Instructions for use

Sikkens Cetol HLS plus (BP) (Hazel)
 Keep out of reach of children. Wear suitable protective clothing and gloves.
 Sikkens Cetol HLS plus (BP) (Boxwood)
 Keep out of reach of children. Wear suitable protective clothing and gloves.
 Sikkens Cetol HLS plus (BP) (Blue)
 Keep out of reach of children. Wear suitable protective clothing and gloves.
 Sikkens Cetol HLS plus (BP) (Ebony)
 Keep out of reach of children. Wear suitable protective clothing and gloves.
 Sikkens Cetol HLS plus (BP) (Teak)
 Keep out of reach of children. Wear suitable protective clothing and gloves.
 Sikkens Cetol HLS plus (BP)
 Keep out of reach of children. Wear suitable protective clothing and gloves.
 Sikkens Cetol HLS plus (BP) (Dark Oak)
 Keep out of reach of children. Wear suitable protective clothing and gloves.
 Sikkens Cetol HLS plus (BP) (Pine)
 Keep out of reach of children. Wear suitable protective clothing and gloves.
 Sikkens Cetol HLS plus (BP) (Oregon)
 Keep out of reach of children. Wear suitable protective clothing and gloves.
 Sikkens Cetol HLS plus (BP) (Colourless)
 Keep out of reach of children. Wear suitable protective clothing and gloves.
 Sikkens Cetol HLS plus (BP) (Olive Green)
 Keep out of reach of children. Wear suitable protective clothing and gloves.
 Sikkens Cetol HLS plus (BP) (Cedar)
 Keep out of reach of children. Wear suitable protective clothing and gloves.
 Sikkens Cetol HLS plus (BP) (Fir green)
 Keep out of reach of children. Wear suitable protective clothing and gloves.
 Sikkens Cetol HLS plus (BP) (Mahogany)
 Keep out of reach of children. Wear suitable protective clothing and gloves.
 Sikkens Cetol HLS plus (BP) (Chestnut)
 Keep out of reach of children. Wear suitable protective clothing and gloves.
 Sikkens Cetol HLS plus (BP) (Light Oak)
 Keep out of reach of children. Wear suitable protective clothing and gloves.
 Sikkens Cetol HLS plus (BP) (Old Pine)
 Keep out of reach of children. Wear suitable protective clothing and gloves.
 Sikkens Cetol HLS plus (BP) (Larch)
 Keep out of reach of children. Wear suitable protective clothing and gloves.
 Sikkens Cetol HLS plus (BP) (Rosewood)
 Keep out of reach of children. Wear suitable protective clothing and gloves.
 Sikkens Cetol HLS plus (BP) (Russian Green)
 Keep out of reach of children. Wear suitable protective clothing and gloves.

5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

Sikkens Cetol HLS plus(BP)

After skin contact: Take off immediately all contaminated clothing and wash skin immediately with plenty of water and soap. Obtain medical attention if symptoms occur.
 After contact with eyes: Rinse immediately with plenty of water and seek medical if symptoms occur.
 If swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs.
 After inhalation: Move affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and get medical attention immediately.

Sikkens Cetol HLS plus (BP) (Hazel)

After skin contact: Take off immediately all contaminated clothing and wash skin immediately with plenty of water and soap. Obtain medical attention if symptoms occur.
 After contact with eyes: Rinse immediately with plenty of water and seek medical if symptoms occur. If swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention.
 After inhalation: Move the affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and get medical attention immediately.

Sikkens Cetol HLS plus (BP) (Boxwood)

After skin contact: Take off immediately all contaminated clothing and wash skin immediately with plenty of water and soap. Obtain medical attention if symptoms occur.
 After contact with eyes: Rinse immediately with plenty of water and seek medical if symptoms occur. If swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not

enter the lungs. Get medical attention.

After inhalation: Move the affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and get medical attention immediately.

Sikkens Cetol HLS plus (BP) (Blue)

After skin contact: Take off immediately all contaminated clothing and wash skin immediately with plenty of water and soap. Obtain medical attention if symptoms occur.

After contact with eyes: Rinse immediately with plenty of water and seek medical if symptoms occur. If swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention.

After inhalation: Move the affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and get medical attention immediately.

Sikkens Cetol HLS plus (BP) (Ebony)

After skin contact: Take off immediately all contaminated clothing and wash skin immediately with plenty of water and soap. Obtain medical attention if symptoms occur.

After contact with eyes: Rinse immediately with plenty of water and seek medical if symptoms occur. If swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention.

After inhalation: Move the affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and get medical attention immediately.

Sikkens Cetol HLS plus (BP) (Teak)

After skin contact: Take off immediately all contaminated clothing and wash skin immediately with plenty of water and soap. Obtain medical attention if symptoms occur.

After contact with eyes: Rinse immediately with plenty of water and seek medical if symptoms occur. If swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention.

After inhalation: Move the affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and get medical attention immediately.

Sikkens Cetol HLS plus (BP)

After skin contact: Take off immediately all contaminated clothing and wash skin immediately with plenty of water and soap. Obtain medical attention if symptoms occur.

After contact with eyes: Rinse immediately with plenty of water and seek medical if symptoms occur. If swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention.

After inhalation: Move the affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and get medical attention immediately.

Sikkens Cetol HLS plus (BP) (Dark Oak)

After skin contact: Take off immediately all contaminated clothing and wash skin immediately with plenty of water and soap. Obtain medical attention if symptoms occur.

After contact with eyes: Rinse immediately with plenty of water and seek medical if symptoms occur. If swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention.

After inhalation: Move the affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and get medical attention immediately.

Sikkens Cetol HLS plus (BP) (Pine)

After skin contact: Take off immediately all contaminated clothing and wash skin immediately with plenty of water and soap. Obtain medical attention if symptoms occur.

After contact with eyes: Rinse immediately with plenty of water and seek medical if symptoms occur. If swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention.

After inhalation: Move the affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and get medical attention immediately.

Sikkens Cetol HLS plus (BP) (Oregon)

After skin contact: Take off immediately all contaminated clothing and wash skin immediately with plenty of water and soap. Obtain medical attention if symptoms occur.

After contact with eyes: Rinse immediately with plenty of water and seek medical if symptoms occur. If swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention.

After inhalation: Move the affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in

recovery position and get medical attention immediately.
Sikkens Cetol HLS plus (BP) (Colourless)

After skin contact: Take off immediately all contaminated clothing and wash skin immediately with plenty of water and soap. Obtain medical attention if symptoms occur.

After contact with eyes: Rinse immediately with plenty of water and seek medical if symptoms occur. If swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention.

After inhalation: Move the affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and get medical attention immediately.

Sikkens Cetol HLS plus (BP) (Olive Green)

After skin contact: Take off immediately all contaminated clothing and wash skin immediately with plenty of water and soap. Obtain medical attention if symptoms occur.

After contact with eyes: Rinse immediately with plenty of water and seek medical if symptoms occur. If swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention.

After inhalation: Move the affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and get medical attention immediately.

Sikkens Cetol HLS plus (BP) (Cedar)

After skin contact: Take off immediately all contaminated clothing and wash skin immediately with plenty of water and soap. Obtain medical attention if symptoms occur.

After contact with eyes: Rinse immediately with plenty of water and seek medical if symptoms occur. If swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention.

After inhalation: Move the affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and get medical attention immediately.

Sikkens Cetol HLS plus (BP) (Fir green)

After skin contact: Take off immediately all contaminated clothing and wash skin immediately with plenty of water and soap. Obtain medical attention if symptoms occur.

After contact with eyes: Rinse immediately with plenty of water and seek medical if symptoms occur. If swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention.

After inhalation: Move the affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and get medical attention immediately.

Sikkens Cetol HLS plus (BP) (Mahogany)

After skin contact: Take off immediately all contaminated clothing and wash skin immediately with plenty of water and soap. Obtain medical attention if symptoms occur.

After contact with eyes: Rinse immediately with plenty of water and seek medical if symptoms occur. If swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention.

After inhalation: Move the affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and get medical attention immediately.

Sikkens Cetol HLS plus (BP) (Chestnut)

After skin contact: Take off immediately all contaminated clothing and wash skin immediately with plenty of water and soap. Obtain medical attention if symptoms occur.

After contact with eyes: Rinse immediately with plenty of water and seek medical if symptoms occur. If swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention.

After inhalation: Move the affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and get medical attention immediately.

Sikkens Cetol HLS plus (BP) (Light Oak)

After skin contact: Take off immediately all contaminated clothing and wash skin immediately with plenty of water and soap. Obtain medical attention if symptoms occur.

After contact with eyes: Rinse immediately with plenty of water and seek medical if symptoms occur. If swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention.

After inhalation: Move the affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and get medical attention immediately.

Sikkens Cetol HLS plus (BP) (Old Pine)

After skin contact: Take off immediately all contaminated clothing and wash skin immediately with plenty of water and soap. Obtain medical attention if symptoms occur.

After contact with eyes: Rinse immediately with plenty of water and seek medical if symptoms occur. If swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention.

After inhalation: Move the affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and get medical attention immediately.

Sikkens Cetol HLS plus (BP) (Larch)

After skin contact: Take off immediately all contaminated clothing and wash skin immediately with plenty of water and soap. Obtain medical attention if symptoms occur.

After contact with eyes: Rinse immediately with plenty of water and seek medical if symptoms occur. If swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention.

After inhalation: Move the affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and get medical attention immediately.

Sikkens Cetol HLS plus (BP) (Rosewood)

After skin contact: Take off immediately all contaminated clothing and wash skin immediately with plenty of water and soap. Obtain medical attention if symptoms occur.

After contact with eyes: Rinse immediately with plenty of water and seek medical if symptoms occur. If swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention.

After inhalation: Move the affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and get medical attention immediately.

Sikkens Cetol HLS plus (BP) (Russian Green)

After skin contact: Take off immediately all contaminated clothing and wash skin immediately with plenty of water and soap. Obtain medical attention if symptoms occur.

After contact with eyes: Rinse immediately with plenty of water and seek medical if symptoms occur. If swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention.

After inhalation: Move the affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and get medical attention immediately.

5.4. Instructions for safe disposal of the product and its packaging

Sikkens Cetol HLS plus(BP)

European waste code (EWC): 03 02 05: other wood preservatives containing dangerous substances / 20 01 27: Municipal wastes (household, waste and similar commercial, industrial and institutional wastes) including separately collected fractions: paint, inks, adhesives and resins containing dangerous substances.

Sikkens Cetol HLS plus (BP) (Hazel)

European waste code (EWC): 02 0205: other wood preservatives containing dangerous substances / 20 0127: Municipal wastes (household, waste and similar commercial, industrial and institutional wastes) including separately collected fractions: paint, inks, adhesives and resins containing dangerous substances.

Sikkens Cetol HLS plus (BP) (Boxwood)

European waste code (EWC): 02 0205: other wood preservatives containing dangerous substances / 20 0127: Municipal wastes (household, waste and similar commercial, industrial and institutional wastes) including separately collected fractions: paint, inks, adhesives and resins containing dangerous substances.

Sikkens Cetol HLS plus (BP) (Blue)

European waste code (EWC): 02 0205: other wood preservatives containing dangerous substances / 20 0127: Municipal wastes (household, waste and similar commercial, industrial and institutional wastes) including separately collected fractions: paint, inks, adhesives and resins containing dangerous substances.

Sikkens Cetol HLS plus (BP) (Ebony)

European waste code (EWC): 02 0205: other wood preservatives containing dangerous substances / 20 0127: Municipal wastes (household, waste and similar commercial, industrial and institutional wastes) including separately collected fractions: paint, inks, adhesives and resins containing dangerous substances.

Sikkens Cetol HLS plus (BP) (Teak)

European waste code (EWC): 02 0205: other wood preservatives containing dangerous substances / 20 0127: Municipal wastes (household, waste and similar commercial, industrial and institutional wastes) including separately collected fractions: paint, inks,

European waste code (EWC): 02 0205: other wood preservatives containing dangerous substances / 20 0127: Municipal wastes (household, waste and similar commercial, industrial and institutional wastes) including separately collected fractions: paint, inks, adhesives and resins containing dangerous substances.

5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

Sikkens Cetol HLS plus(BP)

Store product in tightly closed original containers at temperatures about 5 - 30°C. The product is stable for 3 years at room temperature.

Sikkens Cetol HLS plus (BP) (Hazel)

Store product in tightly closed original containers at temperatures about 5 – 30°C. The product is stable for 3 years at room temperature.

Sikkens Cetol HLS plus (BP) (Boxwood)

Store product in tightly closed original containers at temperatures about 5 – 30°C. The product is stable for 3 years at room temperature.

Sikkens Cetol HLS plus (BP) (Blue)

Store product in tightly closed original containers at temperatures about 5 – 30°C. The product is stable for 3 years at room temperature.

Sikkens Cetol HLS plus (BP) (Ebony)

Store product in tightly closed original containers at temperatures about 5 – 30°C. The product is stable for 3 years at room temperature.

Sikkens Cetol HLS plus (BP) (Teak)

Store product in tightly closed original containers at temperatures about 5 – 30°C. The product is stable for 3 years at room temperature.

Sikkens Cetol HLS plus (BP)

Store product in tightly closed original containers at temperatures about 5 – 30°C. The product is stable for 3 years at room temperature.

Sikkens Cetol HLS plus (BP) (Dark Oak)

Store product in tightly closed original containers at temperatures about 5 – 30°C. The product is stable for 3 years at room temperature.

Sikkens Cetol HLS plus (BP) (Pine)

Store product in tightly closed original containers at temperatures about 5 – 30°C. The product is stable for 3 years at room temperature.

Sikkens Cetol HLS plus (BP) (Oregon)

Store product in tightly closed original containers at temperatures about 5 – 30°C. The product is stable for 3 years at room temperature.

Sikkens Cetol HLS plus (BP) (Colourless)

Store product in tightly closed original containers at temperatures about 5 – 30°C. The product is stable for 3 years at room temperature.

Sikkens Cetol HLS plus (BP) (Olive Green)

Store product in tightly closed original containers at temperatures about 5 – 30°C. The product is stable for 3 years at room temperature.

Sikkens Cetol HLS plus (BP) (Cedar)

Store product in tightly closed original containers at temperatures about 5 – 30°C. The product is stable for 3 years at room temperature.

Sikkens Cetol HLS plus (BP) (Fir green)

Store product in tightly closed original containers at temperatures about 5 – 30°C. The product is stable for 3 years at room temperature.

Sikkens Cetol HLS plus (BP) (Mahogany)

Store product in tightly closed original containers at temperatures about 5 – 30°C. The product is stable for 3 years at room temperature.

Sikkens Cetol HLS plus (BP) (Chestnut)

Store product in tightly closed original containers at temperatures about 5 – 30°C. The product is stable for 3 years at room

temperature.

Sikkens Cetol HLS plus (BP) (Light Oak)

Store product in tightly closed original containers at temperatures about 5 – 30°C. The product is stable for 3 years at room temperature.

Sikkens Cetol HLS plus (BP) (Old Pine)

Store product in tightly closed original containers at temperatures about 5 – 30°C. The product is stable for 3 years at room temperature.

Sikkens Cetol HLS plus (BP) (Larch)

Store product in tightly closed original containers at temperatures about 5 – 30°C. The product is stable for 3 years at room temperature.

Sikkens Cetol HLS plus (BP) (Rosewood)

Store product in tightly closed original containers at temperatures about 5 – 30°C. The product is stable for 3 years at room temperature.

Sikkens Cetol HLS plus (BP) (Russian Green)

Store product in tightly closed original containers at temperatures about 5 – 30°C. The product is stable for 3 years at room temperature.

6. Other information

Sikkens Cetol HLS plus(BP), DK
Sikkens Cetol HLS plus(BPR), IT
Sikkens Cetol HLS plus(BPR), CH
Xyladecor Holzschutzlasur BPR, AT
Xyladecor Classic HP(BPR), CZ
Xyladecor Classic HP(BPR), SK
Vivexyl Plus, GR
SADOLIN Classic HP(BPR), HU
SADOLIN Classic HP(BPR), PL
SADOLIN IMPREGNAT CLASSIC HP(BPR), PL
SADOLIN Classic(BPR), PL
SADOLIN IMPREGNAT CLASSIC(BPR), PL
Vivexyl Plus, CY
Vivexyl Plus, BG
Sikkens Cetol HLS plus(BP)

Use biocides safely. Always read the label and product information before use.

P501: Dispose of container to local rules

Sikkens Cetol HLS plus (BP) (Hazel)

Use biocides safely. Always read the label and product information before use.

Supplementary statement under Labelling: "Contains 3-iodo-2-propynyl butylcarbamate and 2-butanone oxime."

Sikkens Cetol HLS plus (BP) (Boxwood)

Use biocides safely. Always read the label and product information before use.

Supplementary statement under Labelling: "Contains 3-iodo-2-propynyl butylcarbamate and 2-butanone oxime."

Sikkens Cetol HLS plus (BP) (Blue)

Use biocides safely. Always read the label and product information before use.

Supplementary statement under Labelling: "Contains 3-iodo-2-propynyl butylcarbamate and 2-butanone oxime."

Sikkens Cetol HLS plus (BP) (Ebony)

Use biocides safely. Always read the label and product information before use.

Supplementary statement under Labelling: "Contains 3-iodo-2-propynyl butylcarbamate and 2-butanone oxime."

Sikkens Cetol HLS plus (BP) (Teak)

Use biocides safely. Always read the label and product information before use.

Supplementary statement under Labelling: "Contains 3-iodo-2-propynyl butylcarbamate and 2-butanone oxime."

Sikkens Cetol HLS plus (BP)

Use biocides safely. Always read the label and product information before use.

Supplementary statement under Labelling: "Contains 3-iodo-2-propynyl butylcarbamate and 2-butanone oxime."

Sikkens Cetol HLS plus (BP) (Dark Oak)

Use biocides safely. Always read the label and product information before use.

Supplementary statement under Labelling: "Contains 3-iodo-2-propynyl butylcarbamate and 2-butanone oxime."

Sikkens Cetol HLS plus (BP) (Pine)

Use biocides safely. Always read the label and product information before use.

Supplementary statement under Labelling: "Contains 3-iodo-2-propynyl butylcarbamate and 2-butanone oxime."

Sikkens Cetol HLS plus (BP) (Oregon)

Use biocides safely. Always read the label and product information before use.

Supplementary statement under Labelling: "Contains 3-iodo-2-propynyl butylcarbamate and 2-butanone oxime."

Sikkens Cetol HLS plus (BP) (Colourless)

Use biocides safely. Always read the label and product information before use.

Supplementary statement under Labelling: "Contains 3-iodo-2-propynyl butylcarbamate and 2-butanone oxime."

Sikkens Cetol HLS plus (BP) (Olive Green)

Use biocides safely. Always read the label and product information before use.

Supplementary statement under Labelling: "Contains 3-iodo-2-propynyl butylcarbamate and 2-butanone oxime."

Sikkens Cetol HLS plus (BP) (Cedar)

Use biocides safely. Always read the label and product information before use.

Supplementary statement under Labelling: "Contains 3-iodo-2-propynyl butylcarbamate and 2-butanone oxime."

Sikkens Cetol HLS plus (BP) (Fir green)

Use biocides safely. Always read the label and product information before use.

Supplementary statement under Labelling: "Contains 3-iodo-2-propynyl butylcarbamate and 2-butanone oxime."

Sikkens Cetol HLS plus (BP) (Mahogany)

Use biocides safely. Always read the label and product information before use.

Supplementary statement under Labelling: "Contains 3-iodo-2-propynyl butylcarbamate and 2-butanone oxime."

Sikkens Cetol HLS plus (BP) (Chestnut)

Use biocides safely. Always read the label and product information before use.

Supplementary statement under Labelling: "Contains 3-iodo-2-propynyl butylcarbamate and 2-butanone oxime."

Sikkens Cetol HLS plus (BP) (Light Oak)

Use biocides safely. Always read the label and product information before use.

Supplementary statement under Labelling: "Contains 3-iodo-2-propynyl butylcarbamate and 2-butanone oxime."

Sikkens Cetol HLS plus (BP) (Old Pine)

Use biocides safely. Always read the label and product information before use.

Supplementary statement under Labelling: "Contains 3-iodo-2-propynyl butylcarbamate and 2-butanone oxime."

Sikkens Cetol HLS plus (BP) (Larch)

Use biocides safely. Always read the label and product information before use.

Supplementary statement under Labelling: "Contains 3-iodo-2-propynyl butylcarbamate and 2-butanone oxime."

Sikkens Cetol HLS plus (BP) (Rosewood)

Use biocides safely. Always read the label and product information before use.

Supplementary statement under Labelling: "Contains 3-iodo-2-propynyl butylcarbamate and 2-butanone oxime."

Sikkens Cetol HLS plus (BP) (Russian Green)

Use biocides safely. Always read the label and product information before use.

Supplementary statement under Labelling: "Contains 3-iodo-2-propynyl butylcarbamate and 2-butanone oxime."

Bilag 1

Oplysninger til etiket og brugsanvisning for Sikkens Cetol HLS Plus (BP), BPR-reg. nr. 782-7

Rettelse: Tilføjet H412 til bilag 1.

I. Etiketten skal udformes i overensstemmelse med artikel 69 i biocidforordningen (Forordning (EU) nr. 528/2012), og CLP Forordningen¹.

II. Det er udelukkende ansøgers/godkendelsesindehaverens ansvar, at etiket, mærkning og pakning lever op til lovens krav, jf. biocidforordningen artikel 69. Nedstående tekst i afsnit III er bidrag til overholdelsen af reglerne og således kun en del af de krav, som stilles til blandt andet etiketten.

III. Etiketten skal indeholde nedenstående oplysninger. Oplysninger i citationstegn skal angives ordret:

1) I hovedfeltet:

"Træbeskyttelsesmiddel (PT8)

Må kun anvendes over jord som træbeskyttelse mod blåsplint. Må kun anvendes i brugsklasse 2 og 3 jf. DS/EN335-1."

2) I advarselsfeltet:

" FORSIGTIG

Skadelig for vandlevendeorganismer, medlangvarige virkninger (H412)

Undgå udledning til miljøet (P273)

Vær opmærksom på, at Arbejdstilsynet har regler for arbejde med bekæmpelsesmidler. Læs nærmere i det eventuelt lovpligtige sikkerhedsdatablad samt i Arbejdstilsynets informationsmateriale om bekæmpelsesmidler.

Vask huden efter arbejde.

1 Europa-Parlamentets og Rådets forordning (EF) Nr. 1272/2008 af 16. december 2008

om klassificering, mærkning og emballering af stoffer og blandinger og om ændring og ophævelse af direktiv 67/548/EØF og 1999/45/EF og om ændring af forordning (EF) nr. 1907/2006

Overtrædelse af nedenstående særligt fremhævede forskrifter kan medføre straf:

Må kun anvendes over jord som træbeskyttelse mod blåsplint. Må kun anvendes i brugsklasse 2 og 3 jf. DS/EN335-1.

Må kun anvendes i doseringer på 200-250 ml/m² ved pensling.

Må ikke anvendes mod andre skadevoldere og ikke i højere doseringer end de i brugsanvisningen nævnte.

Må ikke anvendes indendørs.

Må ikke anvendes til træværk, der kommer i direkte berøring med fødevarer og foderstoffer.

Opbevares utilgængeligt for børn.

Må ikke opbevares sammen med fødevarer, drikkevarer og foderstoffer.

Evt. oplysninger om førstehjælp.

3) I deklarationsfeltet:

a) Teksten "Træbeskyttelsesmiddel BPR-reg. nr. 782-7. Aktivstof og biocidholdigt produkt er godkendt efter biocidforordningen (Forordning (EU) nr. 528/2012)".

b) Oplysning om præparattype: "væske" for dette præparat.

c) Indholdet af aktivstof i vægtprocent og g/L ved 20 °C

d) Sætningen: "Indeholder IPBC og 2-butanonoxim. Kan udløse allergisk reaktion"

e) Udløbsdatoen skal anføres. Denne dato må højst være 3 år efter produktionsdatoen. Etikettens dato kan udformes som en henvisning til en produktionsdato andetsteds på emballagen.

f) Batchnummer eller – betegnelse skal anføres.

g) Pakningsstørrelse i liter.

h) Navn og firmaadresse, herunder telefonnummer, for en i en medlemsstat etableret fysisk eller juridisk person, som er ansvarlig for markedsføringen (godkendelsesindehaveren).

4) Brugsanvisningen:

Oplysninger om skadevoldere, anvendelsesområde og doseringer.

Følgende retningslinjer gælder i forhold til bortskaffelse.

Der skal mærkes med sikkerhedssætning P501: "Indholdet/holderen bortskaffes i overensstemmelse med kommunale regler for affaldshåndtering."

Derudover skal mærkningen ske efter følgende retningslinjer:

Tom emballage og rester bortskaffes i henhold til kommunale retningslinjer.

7. Third information level: individual products in the meta SPC

7.1 Trade name(s), authorisation number and specific composition of each individual product

Trade name(s)

Sikkens Cetol HLS plus(BP) Hazel

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

CH-0017334-0001 1-1

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
3-iodo-2-propynylbutylcarbamate (IPBC)		Active Substance	55406-53-6	259-627-5	0.7
Dearomatised hydrocarbon			64742-47-8		21.843

Trade name(s)

Sikkens Cetol HLS plus(BP) Boxwood

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

CH-0017334-0002 1-1

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
3-iodo-2-propynylbutylcarbamate (IPBC)		Active Substance	55406-53-6	259-627-5	0.7
Dearomatised hydrocarbon			64742-47-8		23.1097

Trade name(s)

Sikkens Cetol HLS plus(BP) Blue

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

CH-0017334-0003 1-1

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
3-iodo-2-propynylbutylcarbamate (IPBC)		Active Substance	55406-53-6	259-627-5	0.7
Dearomatised hydrocarbon			64742-47-8		23.372

Trade name(s)Sikkens Cetol HLS plus(BP) Ebony
Sikkens Cetol HLS plus(BPR) Ebenholz**Authorisation number**

(R4BP 3 asset reference number - National Authorisation)

CH-0017334-0004 1-1

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
3-iodo-2-propynylbutylcarbamate (IPBC)		Active Substance	55406-53-6	259-627-5	0.7
Dearomatised hydrocarbon			64742-47-8		22.351

Trade name(s)

Sikkens Cetol HLS plus(BP) Teak
Sikkens Cetol HLS plus (BPR) Teak

Authorisation number

(R4BP 3 asset reference number - National
Authorisation)

CH-0017334-0005 1-1

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
3-iodo-2-propynylbutylcarbamate (IPBC)		Active Substance	55406-53-6	259-627-5	0.7
Dearomatised hydrocarbon			64742-47-8		22.04

Trade name(s)

Sikkens Cetol HLS plus (Walnut)
Sikkens Cetol HLS plus(BP) Walnut
Sikkens Cetol HLS plus(BPR) Nussbaum

Authorisation number

(R4BP 3 asset reference number - National
Authorisation)

CH-0017334-0006 1-1

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
3-iodo-2-propynylbutylcarbamate (IPBC)		Active Substance	55406-53-6	259-627-5	0.7

Dearomatised
hydrocarbon

64742-47-8

23.373

Trade name(s)

Sikkens Cetol HLS plus(BP) Dark Oak
Sikkens Cetol HLS plus(BPR) Eiche Dunkel

Authorisation number

(R4BP 3 asset reference number - National
Authorisation)

CH-0017334-0007 1-1

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
3-iodo-2-propynylbutylcarbamate (IPBC)		Active Substance	55406-53-6	259-627-5	0.7

Dearomatised
hydrocarbon

64742-47-8

22.157

Trade name(s)

Sikkens Cetol HLS plus(BP) Pine
Sikkens Cetol HLS plus(BPR) Kiefer

Authorisation number

(R4BP 3 asset reference number - National
Authorisation)

CH-0017334-0008 1-1

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
3-iodo-2-propynylbutylcarbamate (IPBC)		Active Substance	55406-53-6	259-627-5	0.7

Dearomatised
hydrocarbon

64742-47-8

22.042

Trade name(s)

Sikkens Cetol HLS plus(BP) Oregon

Authorisation number

(R4BP 3 asset reference number - National
Authorisation)

CH-0017334-0009 1-1

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
3-iodo-2-propynylbutylcarbamate (IPBC)		Active Substance	55406-53-6	259-627-5	0.7

Dearomatised
hydrocarbon

64742-47-8

22.199

Trade name(s)

Sikkens Cetol HLS plus(BP) Colourless
Sikkens Cetol HLS plus(BPR) Farblos

Authorisation number

(R4BP 3 asset reference number - National
Authorisation)

CH-0017334-0010 1-1

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
3-iodo-2-propynylbutylcarbamate (IPBC)		Active Substance	55406-53-6	259-627-5	0.7

Dearomatised
hydrocarbon

64742-47-8

23.373

Trade name(s)

Sikkens Cetol HLS plus(BP) Olive Green

Authorisation number

CH-0017334-0011 1-1

(R4BP 3 asset reference number - National
Authorisation)

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
3-iodo-2-propynylbutylcarbamate (IPBC)		Active Substance	55406-53-6	259-627-5	0.7

Dearomatised
hydrocarbon

64742-47-8

22.38

Trade name(s)

Sikkens Cetol HLS plus(BP) Cedar

Authorisation number

CH-0017334-0012 1-1

(R4BP 3 asset reference number - National
Authorisation)

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
3-iodo-2-propynylbutylcarbamate (IPBC)		Active Substance	55406-53-6	259-627-5	0.7

Dearomatised
hydrocarbon

64742-47-8

22.483

Trade name(s)

Sikkens Cetol HLS plus(BP) Fir Green

Authorisation number

CH-0017334-0013 1-1

(R4BP 3 asset reference number - National
Authorisation)

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
3-iodo-2-propynylbutylcarbamate (IPBC)		Active Substance	55406-53-6	259-627-5	0.7

Dearomatised
hydrocarbon

64742-47-8

22.23

Trade name(s)

Sikkens Cetol HLS plus(BP) Mahogany

Authorisation number

CH-0017334-0014 1-1

(R4BP 3 asset reference number - National
Authorisation)

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
3-iodo-2-propynylbutylcarbamate (IPBC)		Active Substance	55406-53-6	259-627-5	0.7

Dearomatised
hydrocarbon

64742-47-8

21.908

Trade name(s)

Sikkens Cetol HLS plus(BP) Chestnut

Authorisation number

CH-0017334-0015 1-1

(R4BP 3 asset reference number - National
Authorisation)

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
3-iodo-2-propynylbutylcarbamate (IPBC)		Active Substance	55406-53-6	259-627-5	0.7

Dearomatised
hydrocarbon

64742-47-8

22.099

Trade name(s)

Sikkens Cetol HLS plus(BP) Light Oak
Sikkens Cetol HLS plus(BPR) Eiche Hell

Authorisation number

CH-0017334-0016 1-1

(R4BP 3 asset reference number - National
Authorisation)

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
3-iodo-2-propynylbutylcarbamate (IPBC)		Active Substance	55406-53-6	259-627-5	0.7

Dearomatised
hydrocarbon

64742-47-8

22.245

Trade name(s)

Sikkens Cetol HLS plus(BP) Old Pine

Sikkens Cetol HLS plus(BPR) Altkiefer

Authorisation number

(R4BP 3 asset reference number - National
Authorisation)

CH-0017334-0017 1-1

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
3-iodo-2-propynylbutylcarbamate (IPBC)		Active Substance	55406-53-6	259-627-5	0.7

Dearomatised
hydrocarbon

64742-47-8

22.313

Trade name(s)

Sikkens Cetol HLS plus(BP) Larch

Authorisation number

(R4BP 3 asset reference number - National
Authorisation)

CH-0017334-0018 1-1

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
3-iodo-2-propynylbutylcarbamate (IPBC)		Active Substance	55406-53-6	259-627-5	0.7

Dearomatised
hydrocarbon

64742-47-8

23.188

Trade name(s)

Sikkens Cetol HLS plus(BP) Rosewood

Authorisation number

CH-0017334-0019 1-1

(R4BP 3 asset reference number - National
Authorisation)

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
3-iodo-2-propynylbutylcarbamate (IPBC)		Active Substance	55406-53-6	259-627-5	0.7

Dearomatised
hydrocarbon

64742-47-8

22.676

Trade name(s)

Sikkens Cetol HLS plus(BP) Russian Green

Authorisation number

CH-0017334-0020 1-1

(R4BP 3 asset reference number - National
Authorisation)

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
3-iodo-2-propynylbutylcarbamate (IPBC)		Active Substance	55406-53-6	259-627-5	0.7

Dearomatised
hydrocarbon

64742-47-8

21.394

Trade name(s)

Vivexyl Plus Oak 502
Vivexyl Plus Oak 502
Vivexyl Plus Oak 502

Authorisation number

(R4BP 3 asset reference number - National
Authorisation)

CH-0017334-0021 1-1

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
3-iodo-2-propynylbutylcarbamate (IPBC)		Active Substance	55406-53-6	259-627-5	0.7

Dearomatised
hydrocarbon

64742-47-8

22.921

Trade name(s)

Vivexyl Plus Light Walnut 503
Vivexyl Plus Light Walnut 503
Vivexyl Plus Light Walnut 503

Authorisation number

(R4BP 3 asset reference number - National
Authorisation)

CH-0017334-0022 1-1

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
3-iodo-2-propynylbutylcarbamate (IPBC)		Active Substance	55406-53-6	259-627-5	0.7
Dearomatised hydrocarbon			64742-47-8		23.132

Trade name(s)

Vivexyl Plus Teak 504
Vivexyl Plus Teak 504
Vivexyl Plus Teak 504

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

CH-0017334-0023 1-1

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
3-iodo-2-propynylbutylcarbamate (IPBC)		Active Substance	55406-53-6	259-627-5	0.7
Dearomatised hydrocarbon			64742-47-8		22.222

Trade name(s)

Vivexyl Plus Mahogany 505
Vivexyl Plus Mahogany 505
Vivexyl Plus Mahogany 505

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

CH-0017334-0024 1-1

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
3-iodo-2-propynylbutylcarbamate (IPBC)		Active Substance	55406-53-6	259-627-5	0.7
Dearomatised hydrocarbon			64742-47-8		22.576

Trade name(s)

Vivexyl Plus Deep Walnut 506
 Vivexyl Plus Deep Walnut 506
 Vivexyl Plus Deep Walnut 506

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

CH-0017334-0025 1-1

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
3-iodo-2-propynylbutylcarbamate (IPBC)		Active Substance	55406-53-6	259-627-5	0.7
Dearomatised hydrocarbon			64742-47-8		22.832

Trade name(s)

Vivexyl Plus Palisander 507
 Vivexyl Plus Palisander 507
 Vivexyl Plus Palisander 507

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

CH-0017334-0026 1-1

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
3-iodo-2-propynylbutylcarbamate (IPBC)		Active Substance	55406-53-6	259-627-5	0.7
Dearomatised hydrocarbon			64742-47-8		22.619

Trade name(s)

Vivexyl Plus Pine 508
Vivexyl Plus Pine 508
Vivexyl Plus Pine 508

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

CH-0017334-0027 1-1

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
3-iodo-2-propynylbutylcarbamate (IPBC)		Active Substance	55406-53-6	259-627-5	0.7
Dearomatised hydrocarbon			64742-47-8		22.799

Trade name(s)

Vivexyl Plus Oregon 509
Vivexyl Plus Oregon 509
Vivexyl Plus Oregon 509

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

CH-0017334-0028 1-1

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
3-iodo-2-propynylbutylcarbamate (IPBC)		Active Substance	55406-53-6	259-627-5	0.7
Dearomatised hydrocarbon			64742-47-8		22.717

Trade name(s)

Vivexyl Plus Chestnut 510
 Vivexyl Plus Chestnut 510
 Vivexyl Plus Chestnut 510

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

CH-0017334-0029 1-1

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
3-iodo-2-propynylbutylcarbamate (IPBC)		Active Substance	55406-53-6	259-627-5	0.7
Dearomatised hydrocarbon			64742-47-8		22.474

Trade name(s)

Vivexyl Plus Green 511
 Vivexyl Plus Green 511
 Vivexyl Plus Green 511

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

CH-0017334-0030 1-1

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
3-iodo-2-propynylbutylcarbamate (IPBC)		Active Substance	55406-53-6	259-627-5	0.7
Dearomatised hydrocarbon			64742-47-8		23.039

Trade name(s)

Vivexyl Plus Blue 512
 Vivexyl Plus Blue 512
 Vivexyl Plus Blue 512

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

CH-0017334-0031 1-1

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
3-iodo-2-propynylbutylcarbamate (IPBC)		Active Substance	55406-53-6	259-627-5	0.7
Dearomatised hydrocarbon			64742-47-8		22.965

Trade name(s)

Vivexyl Plus Ebony 513
 Vivexyl Plus Ebony 513
 Vivexyl Plus Ebony 513

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

CH-0017334-0032 1-1

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
3-iodo-2-propynylbutylcarbamate (IPBC)		Active Substance	55406-53-6	259-627-5	0.7
Dearomatised hydrocarbon			64742-47-8		23.029
